


THE TRANSPARENT WAY

Het netwerk. De essentie die elke Transparent Cable uniek maakt. Een handgemaakt filter dat hoogfrequente vervuiling onderdrukt en de kabel optimaliseert voor haar ultieme doel: het ongehinderd overbrengen van het muzieksignaal zonder verkleuring.




REFERENCE
SOUNDS

www.referencesounds.nl



BRINGING YOU CLOSER

TABLE OF CONTENTS



TRANSPARENT SYSTEM BUILDING

- 2 Transparent System Building

NEWCOMER SYSTEM LINKS

- 5 Hardwired Audio Cables
- 6 Hardwired Digital Cables
- 7 The Link and The Wave Audio Cables
- 8 MusicLink and MusicWave Audio Cables

ENTHUSIAST SYSTEM LINKS

- 9 PLUS Audio Cables
- 10 SUPER Audio Cables
- 11 ULTRA Audio Cables
- 12 ULTRA Headphone Cables
- 13 Power Cords
- 14 Power Conditioners

NEWCOMER AND ENTHUSIAST SYSTEM LINKS

- 15 Digital Links
- 16 Custom and DIY Speaker Cables

AFICIONADO SYSTEM LINKS

- 17 REFERENCE Audio Cables
- 18 XL Audio Cables
- 19 Reference Series Inwall Speaker Cable
- 20 Reference Series Digital Links
- 21 Reference Series Power Cords
- 22 PowerIsolators

CONNOISSEUR SYSTEM LINKS

- 23 OPUS Audio Cables
- 24 MAGNUM OPUS Audio Cables
- 25 OPUS Power Cords
- 26 OPUS PowerIsolator

UNIVERSAL SYSTEM LINKS

- 27 HDMI, USB and Ethernet
- 28 Audio Adapters and Special Termination
- 31 All Available Terminations

TRANSPARENT



TRANSPARENT SYSTEM BUILDING



Do you want a music or home theater system that will totally engage you every time you sit down to hear a favorite piece of music or experience a new movie? It's a Challenge! No single component, cable, power conditioner or power cord fully determines the overall presentation and impact of the entertainment experience. The magic happens when everything in the system works together optimally.

Your audio sales professional and Reference Sounds are your best sources to help you put together a truly balanced and satisfying system.

Transparent has identified 4 levels of different types of systems to help you find your unique path to begin to navigate the hundreds of Transparent products we offer to create the best systems possible: Newcomer, Enthusiast, Aficionado and Connoisseur Systems. This retail catalog can help you to identify the type of system that is best suited for each product Transparent offers.

While each system is different, having a baseline of matched performance level of audio and digital signal connectivity, power cabling and power conditioning is vital to helping you stay on track and to think more in terms of improving your entire system over time rather than simply adding components in a random fashion.

Think of Transparent Cables, Power Cords and Power Conditioners as the lifeblood of your system. Each link works together to create a complex circulatory system that helps feed and balance your system by freeing each component to perform up to its fullest potential.



TRANSPARENT SYSTEM BUILDING



ENTHUSIAST SYSTEM LINKS

If you have some knowledge of high-performance brands and systems, you are looking for advice on improvements and upgrades to your existing system. Transparent's linking recommendations for Enthusiast Systems, including cables, power conditioners and power cords, have been specifically designed to handle more power and work with upgraded components to reveal more of what the source material has to offer. Transparent Noise Reduction and Resonance Control Technologies allow this type of system to reveal a more musical presentation from top to bottom with a greater sense of the musical performance space and compellingly realistic dynamic force.



NEWCOMER SYSTEM LINKS

If you are new to high performance audio and A/V systems and want to start out with a basic receiver, integrated, or all-in-one component, begin with Newcomer System Linking Solutions. Cables, power conditioners and power cords in this performance category go well beyond generic and typical options in terms of build quality and performance for not much more cost. A generous measure of Transparent Noise Reduction and Resonance Control Technologies in Newcomer cables, power conditioners and power cords will help your system reveal more musical detail and spatial information with more bass control and the rich tonal balance of live music.

TRANSPARENT SYSTEM BUILDING

AFICIONADO SYSTEM LINKS

Do you consider yourself an audiophile and serious music enthusiast? You probably have been developing and building your audio systems over a long period of time and you are probably looking to extract the last measure of performance from your investments. Transparent Cables, Power Conditioners and Power Cords in the Aficionado category are capable of helping system components achieve the balanced harmony serious music lovers and audiophiles seek. Calibration of the cables to the electrical output characteristics of the specific components take Transparent Noise Reduction and Resonance Control Technologies to the next level so that the system components are able to reveal more of the music than you ever thought possible. The build quality and refined fit and finish of the cables, power conditioners and power cords in the Aficionado category are in keeping with the rest of the fine components in your system.



CONNOISSEUR SYSTEM LINKS

Transparent's flagship MAGNUM OPUS Interconnects and Speaker Cables are the lifeblood of the Connoisseur System. MAGNUM OPUS cable networks require matching and measurement that are at the edge of what our technicians can control in production. Production time is comparable to the manufacturing of exotic high-end audio amplifiers or speakers. MAGNUM OPUS is costly and rare, and each cable is specifically designed to match the owner's ultimate system components exactly and to fit gracefully and perfectly within the listening environment. If you are seeking the ultimate musical experience, MAGNUM OPUS Speaker Cables and Interconnects are an essential part of these expertly designed systems. XL Digital Cables, OPUS Power Cords and OPUS PowerIsolators complete the system.

TRANSPARENT HARDWIRED AUDIO CABLES



Hardwired Speaker Cable

In today's fast-moving, high-tech world, you need connections that deliver performance and reliability, not just convenience. Transparent Hardwired provides high-quality audio and video connections designed to link your media with your home entertainment system. Hardwired Audio cables are the ideal links to ensure a rich, front-and-center musical experience in your own home.

COMPANION PRODUCTS: Hardwired HDMI, Hardwired Ethernet, Hardwired Toslink

Hardwired RCA Interconnect

HWRC18	€ 69
HWRC3	€ 69
HWRC6	€ 89
HWRC10	€ 109
HWRC20	€ 149
HWRC30	€ 179

Hardwired Balanced

HWBL18	€ 89
HWBL3	€ 99
HWBL6	€ 129
HWBL10	€ 159
HWBL20	€ 229
HWBL30	€ 309

Hardwired Speaker Cable*

HWSC8	€ 129
HWSC10	€ 149
HWSC12	€ 169
HWSC15	€ 199
HWSC20	€ 239
HWSC25	€ 289

* Banana only



Hardwired RCA Interconnect



Hardwired Balanced Interconnect

TRANSPARENT HARDWIRED DIGITAL CABLES AND POWER CORDS



Hardwired HDMI



Hardwired Ethernet



Hardwired Toslink

Hardwired HDMI

HWHDMI18	€ 59
HWHDMI3	€ 69
HWHDMI6	€ 79
HWHDMI10	€ 129
HWHDMI15	€ 169

Hardwired Toslink

HWTOS18	€ 39
HWTOS3	€ 49
HWTOS6	€ 59
HWTOS10	€ 69
HWTOS20	€ 89
HWTOS30	€ 109
HWTOS40	€ 129
HWTOS50	€ 149
HWTOS60	€ 169

Hardwired Ethernet

HWETH18	€ 39
HWETH3	€ 49
HWETH6	€ 59
HWETH10	€ 69
HWETH20	€ 89
HWETH30	€ 109
HWETH40	€ 129
HWETH50	€ 149
HWETH60	€ 169

In today's fast-moving, high-tech world, you need connections that deliver performance and reliability, not just convenience. Transparent Hardwired provides high-quality audio and video connections designed to link your digital media with your home entertainment system.

COMPANION PRODUCTS: Hardwired RCA Interconnect,
Hardwired Balanced Interconnect and Hardwired Speaker Cable

TRANSPARENT THE LINK AND THE WAVE AUDIO CABLES



The Link and The Wave pair well with good integrated components. Superior construction, large copper conductors, and noise reduction networks help basic components deliver more bass with greater control and reveal more musical details and spatial information than a system can deliver with typical audio cables. The Link and The Wave are upgradeable to PLUS Audio Cables and above.

COMPANION PRODUCTS: Basic Biwire Adapters, High Performance Inwall Speaker Cables, High Performance Brick Networks, Performance or High Performance Digital Cables, Hardwired HDMI and Ethernet Cables, Hardwired Digital Optical and High Performance Power Cords.

The Link RCA Interconnect

TL.5	€ 109
TL1	€ 109
TL1.5	€ 129
TL2	€ 169
TL10	€ 219
TL15	€ 289
TL20	€ 359
TL25	€ 429
TL +5ft	€ 70

The Wave Speaker Cable

TW8	€ 249
TW10	€ 279
TW12	€ 319
TW15	€ 369
TW20	€ 449
TW25	€ 519
TW +5ft	€ 80

The Link Phono Interconnect*

TLPH1	€ 139
TLPH1.5	€ 159
TLPH2	€ 189
TLPH10	€ 239

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard.

Standard termination for The Wave Speaker Cable is spade lugs (S>S). Standard bananas (B>S or B>B) are optional. BFA Connectors are available. Use Transparent Basic Biwire Adapters for biwire speakers rather than the gold plated biwire plates that come with many speakers for superior low end control and high frequency accuracy.



Hardwired HDMI



Performance 75-Ohm Digital Link

TRANSPARENT MUSICLINK AND MUSICWAVE AUDIO CABLES



MusicLink and MusicWave Audio Cables are upgradable to PLUS Audio Cables and above. MusicLink and MusicWave Cables pair well with good to better integrated components. MusicLink and MusicWave Cables are heftier with more refined network technology that Transparent's basic The Link and The Wave Cables. They deliver more bass with greater control and possess superior imaging.

COMPANION PRODUCTS: Basic or High Performance Biwire Adapters, High Performance Inwall Speaker Cables, High Performance Brick Networks, High Performance or Premium Power Cables, Performance or High Performance Digital Cables, Transparent HDMI, USB or Ethernet Cables.

MusicLink RCA Interconnect

ML.5	€ 219
ML1	€ 219
ML1.5	€ 279
ML2	€ 339
ML10	€ 449
ML15	€ 619
ML20	€ 789
ML25	€ 959
ML +5ft	€ 170

Balanced MusicLink

BML1	€ 439
BML1.5	€ 509
BML2	€ 579
BML10	€ 709
BML15	€ 919
BML20	€ 1.109
BML25	€ 1.309
BML +5ft	€ 200

MusicLink Phono Interconnect*

MLPH1	€ 219
MLPH1.5	€ 279
MLPH2	€ 329
MLPH10	€ 449

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard.

MusicWave Speaker Cable**

MW8	€ 479
MW10	€ 549
MW12	€ 629
MW15	€ 729
MW20	€ 899
MW +5ft	€ 170

MusicWave Biwire Speaker Cable**

MWBW8	€ 649
MWBW10	€ 729
MWBW12	€ 799
MWBW15	€ 899
MWBW20	€ 1.079
MWBW +5ft	€ 170

**Standard MusicWave Speaker Cable termination is spade lugs (S>S). Standard bananas (B>S or B>B) are optional.



MusicWave Biwire Speaker Cable



Transparent Ethernet




MusicLink Phono Interconnect

TRANSPARENT PLUS AUDIO CABLES



ENTHUSIAST SYSTEM LINKS



PLUS Audio Cables are upgradable to SUPER Audio Cables and above. PLUS Cables pair well with better integrated components or good separates and better speakers, delivering more bass with greater control and superior imaging. PLUS Cables feature larger signal conductors, better connectors and more refined network technology than MusicLink and MusicWave.

COMPANION PRODUCTS: Basic or High Performance Biwire Adapters, High Performance or Premium Inwall Speaker Cables, High Performance or Premium Brick Networks, Performance, High Performance or Premium Digital Cables, High Performance or Premium Power Cables, Transparent HDMI, USB or Ethernet Cables and Powerwave.

PLUS RCA Interconnect

PSE.5	€ 439
PSE1	€ 439
PSE1.5	€ 519
PSE2	€ 589
PSE10	€ 739
PSE15	€ 959
PSE20	€ 1.179
PSE25	€ 1.399
PSE +5ft	€ 220

PLUS Balanced Interconnect

PBL1	€ 859
PBL1.5	€ 989
PBL2	€ 1.079
PBL10	€ 1.279
PBL15	€ 1.579
PBL20	€ 1.869
PBL25	€ 2.159
PBL +5 ft	€ 290

PLUS Phono Interconnect*

PPH1	€ 429
PPH1.5	€ 519
PPH2	€ 589
PPH10	€ 739
PPHDIN	€ 329

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. For DIN termination specify tone arm and flexible lead length required.

PLUS Speaker Cable**

PSC8	€ 979
PSC10	€ 1.099
PSC12	€ 1.229
PSC15	€ 1.389
PSC20	€ 1.669
PSC +5ft	€ 280
S>LB	€ 79
LB>LB	€ 149

PLUS Biwire Speaker Cable**

PSCBW8	€ 1.149
PSCBW10	€ 1.279
PSCBW12	€ 1.399
PSCBW15	€ 1.569
PSCBW20	€ 1.849
PSCBW +5ft	€ 280
S>BWL	€ 149
LB>BWL	€ 219

**Standard PLUS Speaker Cable termination is spade lugs (S>S). Standard bananas (B>S or B>B) are optional.



PLUS Biwire Speaker Cable



PLUS Phono

TRANSPARENT SUPER AUDIO CABLES



ENTHUSIAST SYSTEM LINKS



SUPER Audio Cables are upgradeable to ULTRA Audio Cables and above. SUPER Cables pair well with better separates and speakers, delivering more bass with greater control and superior imaging. SUPER Cables feature larger signal conductors, better connectors and more refined network technology than PLUS Audio Cables.

COMPANION PRODUCTS: Premium Biwire Adapters, Premium Inwall Speaker Cables, Premium Brick Networks, Premium Digital Cables, Premium Power Cords, Transparent HDMI, USB or Ethernet Cables and PowerWave.

SUPER RCA Interconnect

SSE1	€ 869
SSE1.5	€ 979
SSE2	€ 1.069
SSE10	€ 1.249
SSE15	€ 1.519
SSE20	€ 1.789
SSE25	€ 2.059
SSE +5ft	€ 270

SUPER Balanced Interconnect

SBL1	€ 1.499
SBL1.5	€ 1.689
SBL2	€ 1.829
SBL10	€ 2.089
SBL15	€ 2.499
SBL20	€ 2.899
SBL25	€ 3.299
SBL +5ft	€ 400

SUPER Phono Interconnect*

SPH1	€ 859
SPH1.5	€ 979
SPH2	€ 1.069
SPH10	€ 1.249
SPHDIN	€ 329

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. For DIN termination specify tone arm and flexible lead length required.

SUPER Speaker Cable**

SSC8	€ 1.949
SSC10	€ 2.199
SSC12	€ 2.449
SSC15	€ 2.779
SSC20	€ 3.339
SSC +5ft	€ 560
S>LB	€ 79
LB>LB	€ 149

SUPER Biwire Speaker Cable**

SSCBW8	€ 2.199
SSCBW10	€ 2.449
SSCBW12	€ 2.719
SSCBW15	€ 3.059
SSCBW20	€ 3.619
SSCBW +5ft	€ 560
S>BWL	€ 149
LB>BWL	€ 219

**Standard SUPER Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at an additional charge



SUPER Biwire Speaker Cable



SUPER Phono Interconnect

TRANSPARENT ULTRA AUDIO CABLES



ENTHUSIAST SYSTEM LINKS



Bring within reach the performance of REFERENCE Series Cable at a fraction of the cost with Transparent ULTRA Speakers Cables and Interconnects. ULTRA Audio Cables are upgradeable to REFERENCE Audio Cables and above. ULTRA cables feature highly-refined network technology enclosed in stable, machined acrylic modelus to dampen unwanted vibrations.

COMPANION PRODUCTS: Premium Biwire Adapters, Premium Inwall Speaker Cables, Premium Brick Networks, Premium Digital Cables, Premium Power Cords, Transparent HDMI, USB or Ethernet Cables and PowerWave.

ULTRA RCA Interconnect

USE1	€ 1.729
USE1.5	€ 1.889
USE2	€ 1.999
USE10	€ 2.209
USE15	€ 2.549
USE20	€ 2.879
USE25	€ 3.209
USE +5ft	€ 330

ULTRA Balanced Interconnect

UBL1	€ 2.899
UBL1.5	€ 3.149
UBL2	€ 3.319
UBL10	€ 3.629
UBL15	€ 4.099
UBL20	€ 4.579
UBL25	€ 5.059
UBL +5ft	€ 480

ULTRA Phono Interconnect*

UPH1	€ 1.729
UPH1.5	€ 1.889
UPH2	€ 1.999
UPH10	€ 2.209
UPHDIN	€ 329

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. For DIN termination specify tone arm and flexible lead length required.

ULTRA Speaker Cable**

USC8	€ 3.749
USC10	€ 4.099
USC12	€ 4.439
USC15	€ 4.869
USC20	€ 5.599
USC +5ft	€ 730
S>LB	€ 79
LB>LB	€ 149

ULTRA Biwire Speaker Cable**

USCBW8	€ 3.999
USCBW10	€ 4.349
USCBW12	€ 4.699
USCBW15	€ 5.139
USCBW20	€ 5.879
USBBW +5ft	€ 6.609
S>BWL	€ 149
LB>BWL	€ 219

**Standard ULTRA Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at an additional charge



ULTRA Speaker Biwire Cable



ULTRA Phono Interconnect with DIN Termination

TRANSPARENT ULTRA HEADPHONE CABLE



ULTRA Headphone Cable (pictured with extra leads)



Single-Ended Headphone Cables use a 1/4" TRS Connector on the source end



Balanced Headphone Cables use a 4-Pin XLR connector on the source end and are able to be used in both balanced and single-ended applications.

ULTRA Headphone Single-Ended Type A*

UHSEA6	€ 1.899
UHSEA10	€ 1.899
UHSEA20	€ 2.349
UHSEA +5ft	€ 220

ULTRA Headphone Balanced Type A*

UHBLA6	€ 1.899
UHBLA10	€ 1.899
UHBLA20	€ 2.349
UHBLA +5ft	€ 220

ULTRA Headphone Single-Ended Type B*

UHSEB6	€ 2.299
UHSEB10	€ 2.299
UHSEB20	€ 2.799
UHSEB +5ft	€ 220

ULTRA Headphone Balanced Type B*

UHBLB6	€ 2.299
UHBLB10	€ 2.299
UHBLB20	€ 2.799
UHBLB +5ft	€ 220

Like all Transparent Audio Cables, the new ULTRA Headphone Cable has a network to reduce noise, control the effects of resonance on a music signal and optimize audio performance for the specific length of cable. The networks on ULTRA Headphone Cables are the result of hours of testing and listening and are exclusively developed for headphone signal characteristics.

Transparent designed the headphone cable as dual-isolated channels that have been optimized for electrical and mechanical performance to reduce noise. The cable design is highly flexible with a soft, quiet, comfortable tightly woven fabric sleeve.

The ULTRA Headphone Cable joins to the headphone leads with a 2-piece coupler. Each headphone cable set comes with 1 detachable headphone lead with the connector option of choice. Additional leads with a variety of connector options are readily available through Transparent dealers, thereby making it unnecessary to buy different cables for different headphones. All single, dual and balanced headphone amplifier terminations are also available and changeable amplifier ends are a custom option to accommodate a collection of multiple amplifiers

ULTRA Headphone Adapters

3-Pin XLR	€ 99
D 3-Pin XLR	€ 129
6.3mm TRS	€ 99
D 6.3mm TRS	€ 129
D 3.5mm TRS	€ 129
D 2.5mm TRS	€ 129

ULTRA Headphone Leads and Adapters

UHLA	€ 419
UHLB	€ 849

* Consult your Transparent dealer to determine which termination option is right for the model of your headphone

TRANSPARENT POWER CORDS



High Performance Power Cord EURO

HPPCE.5	€ 269
HPPCE1	€ 269
HPPCE2	€ 349
HPPCE2-90	€ 369
HPPCE +1m	€ 80



PREMIUM Power Cord EURO

PRPCE2	€ 669
PRPCE2-90	€ 689
PRPCE3	€ 769
PRPCE +1m	€ 100



HPPCE 90 Degree Plug

Replace your undersized, noisy stock power cords with hefty, noise reducing Transparent Power Cords to achieve more dynamic freedom, tonal richness and low level information than you thought possible in your system. All Transparent Power Cords are high current designs, custom stranded from OFHC Copper. Every Transparent Power Cord qualifies for the Transparent Upgrade Program: buy Power Cords now that match your budget and move up to higher performing cords at any time in the future while protecting your investment. Custom lengths, 20-amp IEC and AC Plugs, 90-degree plugs and other voltage/plug combinations are available.

COMPANION PRODUCTS: Basic, MusicLink/MusicWave or PLUS Audio System Cables. Basic, High Performance or Premium Biwire adapters. High Performance or Premium Inwall Speaker Cables. High Performance or Premium Brick Networks. Transparent HDMI, USB or Ethernet and PowerWave.

TRANSPARENT POWER CONDITIONERS



PowerWave

PowerWave, includes Performance PowerCord

€ 2.149

W: 43,2cm x H: 8,9cm x D: 20,3cm.

The new PowerWave, with its alluring all-aluminum sculptured form, minimizes magnetic fields for improved dynamic power capability. A generous measure of Gen5 PowerIsolator Technology frees the new PowerWave to deliver more realizable power, more efficiently and quietly. Suspended within a substantial mass of non-conductive polymer resin, the PowerWave's improved filter circuits are free from resonant interference.

The EU version has 6 high current outlets separated into 3 isolation banks. Each isolation bank offers identical performance and can be used with any type of audio or video component including high current amplifiers. However, you can increase the performance of the PowerWave by using each isolation bank for a single component or using 2 similarly purposed components in each bank.

COMPANION PRODUCTS: Basic, MusicLink/MusicWave or PLUS Audio System Cables. Basic, High Performance or Premium Biwire adapters. High Performance or Premium Inwall Speaker Cables. Performance, High Performance or Premium Digital cables. High Performance and Premium PowerCords. Transparent HDMI, USB or Ethernet.



PowerWave X

PowerWaveX, includes Performance PowerCord

€ 4.199

W: 43,8cm x H: 34,3cm x D: 13,3cm

PowerWaveX Tower Stand

€ 279

W: 35,8cm x H: 21,6cm x D: 1cm

PowerWaveX will be available in the third quarter of 2020. PowerWave X is 3 rack-mount spaces high, has 10 outlets and AC, Coax and Network surge protection. PowerWaveX will have superior noise filtering, outlet isolation and power factor control when compared with PowerWave. The tower stand is an optional add-on for customer who prefer to mount the unit vertically on the floor rather than horizontally on a shelf or rack. Like PowerWave, PowerWaveX is constructed of heavy interlocking extruded aluminum panels. Although far more costly than steel to manufacture, extruded aluminum is a far superior chassis material because it is less resonant mechanically and it allows freer expansion of electromagnetic fields. Electromagnetic field restriction tends to take restrict dynamic capability of the power signal.

TRANSPARENT DIGITAL LINKS



NEWCOMER AND ENTHUSIAST SYSTEM LINKS



Performance, High Performance and Premium 75-Ohm Digital Link

Transparent Digital Links deliver substantial performance. A precision extruded foam dielectric insulates heavy, polished, solid core OFHC center conductors. High coverage OFHC braided shields separated by a Mylar coated foil shield keep noise out. Coaxial RCA's that make 360-degree contact with the inner shield maintain the impedance of the cable at the termination point, thereby reducing jitter. Scientific grade BNC's are optional terminations.

COMPANION PRODUCTS: Basic, MusicLink/MusicWave or PLUS Audio System Cables. Basic, High Performance or Premium Biwire Adapters. High Performance or Premium Inwall Speaker Cables. High Performance or Premium Brick Networks. Transparent HDMI, USB or Ethernet Cables. High Performance or Premium PowerCords and PowerWave.

Performance 75-Ohm Digital

P75DL.5	€ 109
P75DL1	€ 109
P75DL1.5	€ 139
P75DL2	€ 159
P75DL10	€ 179
P75DL15	€ 239
P75DL20	€ 289
P75DL +5ft	€ 60

High Performance 75-Ohm Digital

HPDL.5	€ 429
HPDL1	€ 429
HPDL1.5	€ 499
HPDL2	€ 559
HPDL10	€ 669
HPDL15	€ 839
HPDL20	€ 999
HPDL +5ft	€ 170

Premium 75-Ohm Digital *

PRDL.5	€ 799
PRDL1	€ 799
PRDL1.5	€ 949
PRDL2	€ 1.059
PRDL10	€ 1.279
PRDL15	€ 1.619
PRDL20	€ 1.949
PRDL +5ft	€ 340

Premium AES/EBU 110-Ohm Digital

PRAES.5	€ 929
PRAES1	€ 929
PRAES1.5	€ 1.089
PRAES2	€ 1.229
PRAES10	€ 1.499
PRAES15	€ 1.919
PRAES20	€ 2.339
PRAES +5ft	€ 420

BNC Terminations *

PRBNCT	€ 69
--------	------

* BNC Termination available
only for Premium 75-Ohm
Digital



Premium AES/EBU 110-Ohm Digital



BNC Termination

TRANSPARENT CUSTOM AND DIY SPEAKER CABLES



HP 14-2 Inwall



HP 12-2 Inwall



HP 10-2 Inwall



HP 14-4 Inwall



HP 12-4 Inwall



Premium Inwall



High Performance Brick

Here's your chance to elevate your installations above the rest. High Performance Inwall offers much more performance than typical inwall cable. Choose from 14, 12 or 10-AWG, 2-conductor cable or 14 or 12-AWG, 4-conductor cable, all with CL2 ratings. Each conductor consists of many strands of tightly wound OFHC copper for maximum signal transfer and current carrying capacity.

The Wall Premium has the same construction and stranding as some of the best high end speaker cables available. Fillers and pressure extruded jackets hold uniformly twisted signal carrying members firmly in place to reduce noise.

Add High Performance Brick Networks for true high end performance at an affordable price. The Brick Premium is a perfect upgrade to The Wall Premium and is factory calibrated to the length of cable installed. High quality Neutrik Speakon connectors make a solid high current connection.

COMPANION PRODUCTS: Basic, MusicLink/MusicWave or PLUS Audio System Cables. Basic or Premium Biwire Adapters. Performance, High Performance or Premium Digital Cables. High Performance or Premium Power Cords. PowerWave. Transparent HDMI, USB or Ethernet Cables.

High Performance 14-2 Inwall

Diameter: 7.4mm, 14AWG

High Performance 14-4 Inwall

Diameter: 8.3mm, 14AWG

High Performance 12-2 Inwall

Diameter: 8.3mm, 12AWG

High Performance 12-4 Inwall

Diameter: 10.7mm, 12AWG

High Performance 10-2 Inwall

Diameter: 10.7mm, 10AWG

High Performance 14-2 Brick

Diameter: 7.4mm, 14AWG

High Performance 12-2 Brick

Diameter: 8.3mm, 12AWG

High Performance 12-2 Brick Biwire

Diameter: 8.3mm, 12AWG

High Performance 10-2 Brick

Diameter: 10.7mm, 10AWG

High Performance 10-2 Brick Biwire

Diameter: 10.7mm, 10AWG

The Wall Premium

Diameter: 14.4mm, 10AWG

The Brick Premium

The Brick Premium Biwire

HP142	€ 2,25 / FT
HP144	€ 3,00 / FT
HP122	€ 4,00 / FT
HP124	€ 6,00 / FT
HP102	€ 9,00 / FT
TB142	€ 219
TB122	€ 339
TB122BW	€ 429
TB102	€ 429
TB102BW	€ 529
TWPR	€ 28,00 / FT
TBPR	€ 2.219
TBPRBW	€ 2.499

TRANSPARENT REFERENCE AUDIO CABLES



With Generation 5 Technology, Transparent REFERENCE Audio Cables redefine their position by taking a major step toward OPUS performance. By design, REFERENCE Audio Cables are more intimately connected to your system because they are calibrated to match your components. The "Hi Z" version works best with components that have high output impedances. The "Lo Z" version works best with components that have low output impedances. As with all Transparent Audio Cables, REFERENCE Audio Cables are upgradeable.

COMPANION PRODUCTS: Premium or REFERENCE/XL Biwire Adapters. REFERENCE Inwall Speaker Cable, REFERENCE Bricks. REFERENCE Power Cords, REFERENCE or XL PowerIsolators. REFERENCE Digital Cables. Transparent HDMI, USB or Ethernet Cables.

REFERENCE RCA Interconnect

RSE1	€ 3.349
RSE1.5	€ 3.569
RSE2	€ 3.699
RSE10	€ 3.989
RSE15	€ 4.399
RSE20	€ 4.849
RSE25	€ 5.269
RSE +5ft	€ 430

REFERENCE Balanced Interconnect

RBL1	€ 5.799
RBL1.5	€ 6.179
RBL2	€ 6.349
RBL10	€ 6.729
RBL15	€ 7.289
RBL20	€ 7.849
RBL25	€ 8.399
RBL +5ft	€ 560

REFERENCE Phono Interconnect*

RPH1	€ 3.299
RPH1.5	€ 3.569
RPH2	€ 3.699
RPH10	€ 3.989
RPHDIN	€ 649

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced termination available upon request.

REFERENCE Speaker Cable**

RSC8	€ 8.199
RSC10	€ 8.599
RSC12	€ 8.939
RSC15	€ 9.369
RSC20	€ 10.099
RSC +5ft	€ 740

REFERENCE Biwire Speaker Cable**

RSCBW8	€ 9.499
RSCBW10	€ 9.999
RSCBW12	€ 10.349
RSCBW15	€ 10.789
RSCBW20	€ 11.529
RSCBW +5ft	€ 740

** Standard REFERENCE Speaker Cable termination is spade lugs (S>S). Locking Banana plugs are available at no additional charge



REFERENCE RCA Interconnect



REFERENCE 75-Ohm Digital Link



REFERENCE Phono with DIN termination

TRANSPARENT XL AUDIO CABLES



The choice is now clear where to go after REFERENCE Audio Cables if OPUS is beyond reach. Generation 5 Technology freed Transparent to take a totally fresh approach to the possibilities of a product that must clearly be an upgrade to REFERENCE while approaching the performance of OPUS, but at a much more affordable price. With a registered warranty, the owner receives complimentary recalibration when system components change. XL is upgradeable to OPUS or MAGNUM OPUS.

COMPANION PRODUCTS: Premium or REFERENCE/XL Biwire Adapters. REFERENCE Inwall Speaker Cable, XL Brick Networks. XL or OPUS Power Cords, REFERENCE, XL or OPUS PowerIsolators. XL Digital Cables. Transparent HDMI, USB or Ethernet Cables.

XL RCA Interconnect

XLSE1	€ 6.649
XLSE1.5	€ 7.189
XLSE2	€ 7.499
XLSE10	€ 8.189
XLSE15	€ 9.199
XLSE20	€ 10.229
XLSE25	€ 11.239
XLSE +5ft	€ 1.020

XL Balanced Interconnect

XLBL1	€ 11.399
XLBL1.5	€ 11.999
XLBL2	€ 12.499
XLBL10	€ 13.249
XLBL15	€ 14.349
XLBL20	€ 15.449
XLBL25	€ 16.599
XLBL +5ft	€ 1.110

XL Phono Interconnect *

XLPH1	€ 6.699
XLPH1.5	€ 7.189
XLPH2	€ 7.529
XLPH10	€ 8.189
XLPHDIN	€ 969
XLPHDIFBAL	€ 1.399

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced termination available upon request.

XL Speaker Cable

XLSC8	€ 17.699
XLSC10	€ 18.499
XLSC12	€ 18.999
XLSC15	€ 19.699
XLSC20	€ 20.779
XLSC +5ft	€ 1.070

XL Biwire Speaker Cable

XLSCBW8	€ 18.999
XLSCBW10	€ 19.799
XLSCBW12	€ 20.499
XLSCBW15	€ 21.139
XLSCBW20	€ 22.199
XLSCBW +5ft	€ 1.070

** Standard REFERENCE Speaker Cable termination is spade lugs (S>S). Locking Banana plugs are available at no additional charge



XL Speaker Cable
with Spade Termination



XL 75-Ohm Digital Link



XL Phono with
DIN termination

TRANSPARENT REFERENCE SERIES INWALL SPEAKER CABLE



The Wall REFERENCE



The Brick REFERENCE



The Brick XL

The Wall REFERENCE

The Brick REFERENCE

The Brick REFERENCE Biwire

The Brick XL

The Brick XL Biwire

TWR	€ 56,00 / FT
TBR	€ 5.359
TBRBW	€ 6.749
TBXL	€ 12.859
TBXLBW	€ 14.249

The Wall REFERENCE is a CL-approved version of Transparent REFERENCE Speaker Cable. The best inwall speaker cable on earth, its complex construction consists of no fewer than 18 different manufacturing operations with the best materials available. Quiet, dynamic and musically balanced, it is capable of delivering all of the music. Designed for ultimate music and home entertainment systems that demand hidden installations, The Wall REFERENCE comes close to its true potential with The Brick REFERENCE and achieves the pinnacle of performance with The Brick XL

Designed to be used only with The Wall REFERENCE Speaker Cable, The Brick REFERENCE and The Brick XL networks are highly customized to the customer's system layout, system components and the specific length of cable used for each channel of the installation. The Brick REFERENCE comes in 2 versions: low impedance amplifier source and high impedance amplifier source. Transparent custom calibrates The Brick XL to specific amplifier electrical characteristics. There is a 2-week lead time to manufacture these custom products.

COMPANION PRODUCTS: REFERENCE, XL, OPUS or MAGNUM OPUS Audio System Cables. REFERENCE or XL Digital Cables. REFERENCE, XL or OPUS Power Cords. Transparent HDMI, USB or Ethernet Cables. REFERENCE, XL or OPUS PowerIsolators.

TRANSPARENT REFERENCE SERIES DIGITAL LINKS



Transparent's REFERENCE Digital Cables have set the standard for ultimate digital signal transmission, but Transparent has a strong commitment to continue to push the parameters of the current state of the art. Transparent REFERENCE and XL Digital Links benefit from a complete redesign that incorporates these latest technical advances. Transparent Advanced Expanded Foam Technology enables digital cable's insulation to be foamed and extruded to a more precise thickness and uniform density than was ever possible in the past. This superior control of the dielectric maintains characteristic impedance, reduces signal loss and lowers noise.

COMPANION PRODUCTS: REFERENCE, XL, OPUS or MAGNUM OPUS Audio System Cables. REFERENCE Inwall Speaker Cable. REFERENCE or XL Brick Networks. Transparent HDMI, USB or Ethernet Cables. REFERENCE, XL or OPUS PowerCords. REFERENCE, XL or OPUS PowerIsolator.

REFERENCE 75-Ohm Digital *

RDL.5	€ 1.949
RDL1	€ 1.949
RDL1.5	€ 2.279
RDL2	€ 2.559
RDL10	€ 3.119
RDL15	€ 3.949
RDL20	€ 4.779
RDL +5ft	€ 840

XL 75-Ohm Digital *

XLDL.5	€ 3.649
XLDL1	€ 3.649
XLDL1.5	€ 4.179
XLDL2	€ 4.599
XLDL10	€ 5.469
XLDL15	€ 6.859
XLDL20	€ 8.249
XLDL +5ft	€ 1.400

BNC Termination

RDBNCT	€ 249
XLDBNCT	€ 249

REFERENCE AES/EBU 110-Ohm Digital Link

RAES.5	€ 2.149
RAES1	€ 2.149
RAES1.5	€ 2.539
RAES2	€ 2.849
RAES10	€ 3.469
RAES15	€ 4.409
RAES20	€ 5.359
RAES +5ft	€ 950

XL AES/EBU 110-Ohm Digital Link

XLAES.5	€ 4.149
XLAES1	€ 4.149
XLAES1.5	€ 4.829
XLAES2	€ 5.359
XLAES10	€ 6.429
XLAES15	€ 8.249
XLAES20	€ 10.069
XLAES +5ft	€ 1.820



REFERENCE 75-Ohm



XL 75-Ohm



REFERENCE AES/EBU



XL AES/EBU

TRANSPARENT REFERENCE SERIES POWER CORDS



XL Power Cord and REFERENCE Power Cord

REFERENCE Power Cord

RPC2	€ 1.299
RPC +1m	€ 140

XL Power Cord

XLPC2	€ 2.799
XLPC +1m	€ 370

REFERENCE and XL Power Cords are the next generation of REFERENCE Series Power cabling products. Inspired by the technical developments that produced OPUS Power Cord, these cables feature new, tighter construction technology that preserves the intended electrical properties of the cable design.

Improved network module technology takes into account the length of the cable and innate electrical properties to reduce noise levels to an extent previously unattainable. Network module housings are custom molded Carbon Fiber Reinforced Polymer (CFRP) and deliver a generous measure of the solidity and resonance minimizing effects of OPUS-level carbon fiber at a fraction of the cost and weight.

New termination technology ensures solid, heavy OFHC copper conductors deliver better power delivery without restriction or instability, freeing your components to bring you a more realistic music experience through fuller, deeper tonal balance with more extension at either end of the music spectrum.

All Transparent Power Cords are available in versions for USA, UK, EU and custom power applications.

COMPANION PRODUCTS: REFERENCE or XL Audio System Cables. REFERENCE Inwall Speaker Cable. REFERENCE or XL Brick Networks. REFERENCE or XL Digital Cables. Transparent HDMI, USB or Ethernet Cables. OPUS PowerCords. REFERENCE, XL or OPUS PowerIsolator.



Connector detail



Euro Plug Option

TRANSPARENT POWERISOLATORS



AFICIONADO SYSTEM LINKS



REFERENCE PowerIsolator



XL PowerIsolator

Surge protection and noise filtration should enhance musical and video purity while not altering the personality and dynamic power of music and soundtracks. Most power conditioners add noise and alter the phase of the power signal. Consequently they significantly impede your ability to hear your system at its best. PowerIsolator Technology conditions and provides surge protection while maintaining the phase of the power, thereby providing you with all the musical and film realism your system can deliver. PowerIsolators also have ethernet and coaxial surge protection.

REFERENCE PowerIsolator is a versatile and relentless ally in the fight against line noise and grunge in your system. Particularly suited for your source components, RPI approaches the performance of XL PowerIsolator while offering the versatility of eight 15-amp high-current outlets.

XL PowerIsolator has four 15-amp high-current outlets. You can condition power and protect four components from surges with one XLPI unit. To achieve the ultimate that PowerIsolator Technology can provide, use only two outlets, one from each bank.

XL PowerIsolator uses an enhanced level of vibration control technology to keep damaging resonances from affecting line voltage purity.

All Transparent PowerIsolators are available in versions for USA, UK, EU and custom power applications

REFERENCE PowerIsolator, includes 2m RPC

W: 43.2cm x H: 11.8cm x D: 32.1cm

RPI

€ 7.699

XL PowerIsolator, includes 2m XLPC

W: 23.5cm x H: 10.8cm x D: 29.9cm

XLPI

€ 8.899

COMPANION PRODUCTS: REFERENCE, XL, OPUS or MAGNUM OPUS Audio System Cables.

REFERENCE Inwall Speaker Cable. REFERENCE or XL Brick Networks. REFERENCE or XL Digital Cables. Transparent HDMI, USB or Ethernet Cables. REFERENCE, XL or OPUS PowerCords. OPUS PowerIsolator.

TRANSPARENT OPUS AUDIO CABLES



What we thought was the best, just got much better. New network technology, more tightly controlled cable construction, precise torque tuning of the network enclosure assembly, and superior internal damping take OPUS to another level of "you are there" musical engagement. Every detail about OPUS is customized to your system from the way the cable hooks up and fits in your system to very precise network calibration to the characteristics of your components. With a registered warranty recalibration when necessary is complimentary. OPUS is upgradeable to MAGNUM OPUS.

COMPANION PRODUCTS: OPUS Biwire adapters. REFERENCE Inwall Speaker Cable. XL Brick Networks. XL Digital Cables. XL or OPUS Power Cords. Transparen HDMI, USB or Ethernet. Reference, XL or OPUS PowerIsolator.

OPUS RCA Interconnect

OSE1	€ 14.499
OSE1.5	€ 15.589
OSE2	€ 16.259
OSE10	€ 17.589
OSE15	€ 19.629
OSE20	€ 21.669
OSE25	€ 23.699
OSE +5ft	€ 2.040

OPUS Balanced Interconnect

OBL1	€ 24.499
OBL1.5	€ 25.999
OBL2	€ 26.999
OBL10	€ 28.749
OBL15	€ 31.399
OBL20	€ 33.999
OBL25	€ 36.699
OBL +5ft	€ 2.650

OPUS Phono Interconnect*

OPH1	€ 14.499
OPH1.5	€ 15.589
OPH2	€ 16.259
OPH10	€ 17.589
OPHDIN	€ 1.249
OPHDIFBAL	€ 3.399

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced termination available upon request.

OPUS Speaker Cable**

OSC8	€ 43.999
OSC10	€ 45.999
OSC12	€ 47.499
OSC15	€ 49.999
OSC20	€ 54.299
OSC25	€ 58.329

** Standard OPUS Speaker Cable termination is spade lugs. Locking banana plugs are available at no additional charge



OPUS RCA Interconnect



Detail of OBL Network Module and
OSC Spade terminations

TRANSPARENT MAGNUM OPUS AUDIO CABLES



The result of more than 3 years of research and development, MAGNUM OPUS Speaker Cables and Interconnects represent a new pinnacle of performance on every level for Transparent: new cable design, net network technology and new network module technology. With specifications that require measurements that are at the edge of what technicians can control in production and production time that is comparable to the manufacturing of exotic high-end audio amplifiers or speakers, MAGNUM OPUS, Transparent's new flagship, is costly to build and rare. With a registered warranty, recalibration when necessary is complimentary.

COMPANION PRODUCTS: MAGNUM OPUS Biwire adapters. REFERENCE Inwall Speaker Cable. XL Brick Network, XL Digital Cables. XL or OPUS Power Cords. Transparent HDMI, USB or Ethernet Cables. REFERENCE, XL or OPUS PowerIsolators.

MAGNUM OPUS RCA Interconnect

MOSE1	€ 23.299
MOSE1.5	€ 24.899
MOSE2	€ 25.699
MOSE10	€ 27.299
MOSE15	€ 29.849
MOSE20	€ 32.349
MOSE25	€ 34.899
MOSE +5ft	€ 2.500

MAGNUM OPUS Speaker Cable **

MOSC8	€ 72.999
MOSC10	€ 75.999
MOSC12	€ 78.999
MOSC15	€ 82.499
MOSC20	€ 90.499

MAGNUM OPUS Balanced Interconnect

MOBL1	€ 38.999
MOBL1.5	€ 40.999
MOBL2	€ 42.249
MOBL10	€ 44.299
MOBL15	€ 47.749
MOBL20	€ 51.199
MOBL25	€ 54.649
MOBL +5ft	€ 3.440

MAGNUM OPUS Phono Interconnect *

MOPH1	€ 23.499
MOPH1.5	€ 24.999
MOPH2	€ 25.999
MOPH10	€ 27.499
MOPHDIN	€ 1.249
MOPHDIFBA	€ 3.399

*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced termination available upon request.

** Standard MAGNUM OPUS Speaker Cable termination is spade lugs. Locking banana plugs are available at no additional charge.



MAGNUM OPUS RCA Interconnect



Detail of carbon fiber housing of MAGNUM OPUS coupler

TRANSPARENT OPUS POWER CORDS



CONNOISSEUR SYSTEM LINKS



OPUS Power Cord and OPUS Power Cord Source

OPUS Power Cord

OPC2	€ 6.499
OPC +1m	€ 920

OPUS Power Cord Source

OPCS2	€ 6.299
OPCS +1m	€ 870

OPUS Power Cord and its lighter, more flexible OPUS Power Cord Source (for less power-hungry components) unlock your system's power delivery to achieve a new level of breakthrough realism.

Carefully proportioned, quiet and electrically neutral fillers fully occupy every interstice in the extremely tight, precision wound OFHC conductors. Uniform pressure-extruded insulation covers each conductor bundle to hold all elements of the cable packages firmly in place to preserve the intended electrical properties of the cable designs.

OPUS Power Cords feature module and connector/plug housings crafted from vibration-damped, stiff, ultra-light carbon fiber. Cutting-edge termination techniques permit drastically improved geometry and conductor integrity at terminal points.

The filter network built into each cord is finely calibrated to ensure each power product achieves ideal electrical characteristics for superior sound quality and power transfer regardless of length.

All Transparent Power Cords are available in versions for USA, UK, EU and custom power applications.

COMPANION PRODUCTS: XL, OPUS or MAGNUM OPUS Audio System Cables. REFERENCE Inwall Speaker Cable, XL Brick Networks, REFERENCE and XL Digital Cables. Transparent HDMI, USB or Ethernet Cables. REFERENCE, XL or OPUS PowerIsolators.



Plug & Connector Detail

Pricelist August 2020 - All prices are suggested retail prices including VAT
Prices, product offering and specifications can change without further notice

TRANSPARENT OPUS POWERISOLATOR



OPUS PowerIsolator



OPUS PowerIsolator (Rear Panel)

For the first time ever, Transparent Audio's ultimate statement in audio perfection, the OPUS series, expands to incorporate a new standard in power conditioning and line filtration - meet the Transparent OPUS PowerIsolator. The groundbreaking Transparent Generation 5 Power Conditioning Filter Technology introduced in the new OPUS PowerIsolator snuffs out broadband AC Power line noise without restricting current or introducing phase shift. Designed to work in perfect harmony with its included 20-amp IEC OPUS Power Cord, OPUS PowerIsolator is ready to deliver limitless current and noise-free, in-phase power.

Most other power conditioning solutions reduce some AC noise, but they also restrict instantaneous current flow and alter the phase of the power signal - a condition that introduces noise and shifts the tonal balance performance of the system. OPI in combination with OPUS Power Cords ensures that your system is free to reveal all the dynamic complexity and energy and the pure and natural instrumental tonality encoded in your favorite music sources.

OPUS PowerIsolator, includes 2m OPUS Power Cord

OPI

€ 18.299

W: 26.0cm x H: 12.1cm x D: 33.0cm

With OPI's curvaceous carbon fiber form, there can be no mistaking its OPUS lineage. Like OPUS Speaker Cable, OPI's epoxy-loaded, fully damped carbon fiber carapace blocks vibrations and allows electromagnetic fields to fully expand. The OPI center of gravity is also low and wide which further ensures that any excess energy broadly dissipates away from the filter circuitry. Adjustable for hard or carpeted surfaces, precision machined isolation feet keep OPI stable and decoupled from floor vibrations.

Painstakingly constructed with multi-step measurements and circuit adjustments, the OPI filter circuit is also calibrated to the filter characteristics of the included OPUS Power Cord and to end user's AC voltage and frequency. OPUS Power Cord conductors serve to link the OPI filter circuit from input to output, and the filter characteristics of the OPI conductors are also an important part of the measurement process and filter circuit calibration. OPI's parallel noise filtering circuit results in full, free, instantaneous current flow, thereby allowing your system to deliver untethered musical dynamics. Likewise, the parallel hydraulic magnetic circuit breaker provides failsafe circuit protection without limiting current.

COMPANION PRODUCTS: OPUS or MAGNUM OPUS Audio System Cables. XL Digital Cables.

TRANSPARENT HDMI, USB, AND ETHERNET



Transparent Digital HDMI

Transparent HDMI Video Cable gives your system a cleaner, brighter picture with more vibrant, lifelike colours and rich, dynamic sound from your music and movies. The true high-speed design of Transparent HDMI Cable is capable of 18GB per second signal transfer and 4K resolution. TRHDMI is compatible with all current HDMI formats and is future-ready. With its heavier gauge conductors, superior shielding and sturdy shielded connectors, TRHDMI provides improved audio performance, picture clarity, color density and dynamic range compared to standard HDMI cables.



Transparent Digital USB

Transparent USB Cables accurately transfer the full richness and dynamic range of the music stored on your computer or media server. Advanced shielding provides superior protection from external noise interference and internal noise interference from computer power supplies. Custom, gold-plated USB connectors and precision termination techniques insure accurate digital audio signal transfer. Large gauge solid core conductors have greater surface area than typical USB cables further aiding digital signal transfer even over longer lengths.



Transparent Ethernet

The advanced construction of Transparent Ethernet maintains signal integrity and bandwidth and keep noise levels low to accurately transfer the full richness and dynamic range of network-based music. Sturdy, gold-plated Ethernet connectors maintain a tight and reliable connection and precision termination techniques ensure accurate digital signal transfer.

COMPANION PRODUCTS: All levels of Transparent Audio System Cables, Inwall Speaker Cables, Brick Networks, Digital Cables, Power Cords and PowerIsolators.

Transparent HDMI Digital

TRHDMI.5	€ 329	TRHDMI10	€ 549
TRHDMI1	€ 329	TRHDMI15	€ 729
TRHDMI1.5	€ 389	TRHDMI20	€ 889
TRHDMI2	€ 439		

Transparent USB Digital

TRUSB.5	€ 649	TRUSB10	€ 889
TRUSB1	€ 649	TRUSB15	€ 1.059
TRUSB1.5	€ 729	TRUSB20	€ 1.229
TRUSB2	€ 779	TRUSB30	€ 1.389

Transparent Ethernet

TREETHER.5	€ 299	TREETHER15	€ 499
TREETHER1	€ 299	TREETHER20	€ 589
TREETHER1.5	€ 339	TREETHER30	€ 749
TREETHER2	€ 359	TREETHER40	€ 919
TREETHER10	€ 419	TREETHER50	€ 1.089

AUDIO ADAPTERS AND SPECIAL TERMINATIONS



M > F RCA 90°



FRCA > MXLR



1m F/XLR > 2-M/XLR PREM BAL



High Performance RCA Y +
6" RCA Sub kit



PREMIUM RCA Y +
6" RCA Sub Kit



DIN > Cable > RCA
Term Block



Mini Stereo > Stereo F/RCA

Interconnect adapters

RCA 90°	M > F RCA 90°	€ 19
RCA>XLR	FRCA > MXLR	€ 65
BAL Y	1m F/XLR > 2-M/XLR PREM BAL	€ 879
HP SUB RCA Y	High Performance RCA Y + 6" RCA Sub kit*	€ 65
PR SUB RCA Y	PREMIUM RCA Y + 6" RCA Sub kit*	€ 89
DIN>RCA	DIN > CABLE > RCA Term Block	€ 379
MINI>RCA	Mini Stereo > Stereo F/RCA	€ 59

* For subwoofers that require an RCA jumper, order 0.5 pair of the desired performance level of RCA cable and either a High Performance or PREMIUM RCA jumper.

AUDIO ADAPTERS AND SPECIAL TERMINATIONS



UNIVERSAL SYSTEM LINKS



Basic Biwire
Adapter



High Performance
Biwire Adapter



PREMIUM
Biwire Adapter



REFERENCE or XL
Biwire Adapter



OPUS Biwire Adapter



MAGNUM OPUS
Biwire adapter



Banana Adapter



Spade > BFA Adapter



Spade > PIN adapter



Banana > Spade adapter



Spade > Banana Adapter

Speaker Cable Adapters

SBAB	Basic Biwire Adapter, set	€ 99
SBAHP	High Perf. Biwire Adapter, set	€ 199
SBAP	PREMIUM Biwire Adapter, set	€ 329
SBARXL	REF. or XL Biwire Adapter, set	€ 1.129
SBAO	OPUS Biwire Adapter, set	€ 2.949
SBAMO	MAG. OPUS Biwire Adapter, set	€ 4.149
BA	Banana Adapter, 4	€ 49
S>BFA	Spade > BFA adapter, 4	€ 79
S>PIN	Spade > PIN adapter, 4	€ 29
B>S	Banana > Spade adapter, 4	€ 79
S>B	Spade > Banana adapter, 4	€ 49

AUDIO ADAPTERS AND SPECIAL TERMINATIONS



HP142 Boots



HP122 Boots



HP102 Boots



Regular Spades



Premium Spades



Regular Solder Banana's



Regular Crimp Banana's



Locking Banana's



BFA Connectors



Banana Adapters



Spade > BFA Adapters


Inwall Speaker Cable boots, Connectors and Adapters

HP142BT	HP142 Boots, 2	€ 20
HP122BT	HP122 Boots, 2	€ 20
HP102BT	HP102 Boots, 2	€ 20
SP	Regular Spades, 4	€ 18
SPP	Premium Spades, 4	€ 32
B	Regular Solder Banana's, 4	€ 40
CB	Regular Solder Banana's, 4	€ 16
LB	Locking Banana's, 4	€ 100
BFA	BFA Connectors, 4	€ 32
BA	Banana Adapters, 4	€ 49
S>BFA	Spade > BFA Adapters, 4	€ 80

ALL AVAILABLE TERMINATIONS



UNIVERSAL SYSTEM LINKS



Pricelist August 2020 - All prices are suggested retail prices including VAT
Prices, product offering and specifications can change without further notice