

Chassis Noise Reduction

Nimbus Assembly	
NA-100	€ 199
NA-150	€ 219
NA-200	€ 259
Nimbus Coupler	€ 69

Vortex	
V-150	€ 569
V-150A	€ 619
V-150 set(4)	€ 2.049

Helix	
HLX-090	€ 199
HLX-090-SET (3)	€ 589

DP11 Damping Plates	
<i>Black / Silver</i>	
DP11-05545	€ 239
DP11-09545	€ 349
DP11-14545	€ 439

DPX Damping Plates	
<i>Black / Silver</i>	
DPX-05545	€ 309
DPX-09545	€ 449
DPX-14545	€ 539

Isolation Bases

Isolation Bases E1X Series	
<i>Free footer choice</i>	
E1X-2123	€ 2.399
E1X-1925	€ 2.399
E1X-1923	€ 2.299
E1X-1921	€ 2.229
E1X-1719	€ 2.179
E1X-1419	€ 1.849
E1X-9.517-2	€ 1.699
E1X-9.515-2	€ 1.449

Isolation Bases R3X Series	
<i>Free footer choice</i>	
R3X-1921	€ 2.569
R3X-1719	€ 2.499

Isolation Bases S3 Series	
<i>Free footer choice</i>	
S3-1921	€ 3.449
S3-1719	€ 3.449

Isolation Bases M3X2 Series	
<i>Free footer choice</i>	
M3X2-2123	€ 6.249
M3X2-1925	€ 6.249
M3X2-1923	€ 5.849
M3X2-1921	€ 5.429
M3X2-1719	€ 4.599
M3X2-1419	€ 3.949

BRINGING YOU CLOSER

Audio Stand Frames

EXR Audio Stand System	
<i>Black / Silver</i>	
EXR-1921-1V / EXR-1719-1V	€ 3.199
EXR-1921-2V / EXR-1719-2V	€ 5.749
EXR-1921-3V / EXR-1719-3V	€ 8.299
EXR-1921-4V / EXR-1719-4V	€ 10.799
EXR-1921-5V / EXR-1719-5V	€ 13.349
EXRH9.5-1V	€ 2.399
EXRH9.5-2V	€ 4.299
EXRH9.5-3V	€ 6.199
EXRH9.5-4V	€ 8.099
EXRDW 42" Wide Audio Stand System	
<i>Black / Silver</i>	
EXRDW-1942-1V	€ 5.099
EXRDW-1942-2V	€ 9.399
EXRDW-1942-3V	€ 13.699
EXRDW-1942-4V	€ 17.999
EXRDW-1942-5V	€ 22.199

EXR Multiwide Audio Stand System	
<i>Black / Silver</i>	
EXR-1921-1T1 / EXR-1719-1T1	€ 5.849
EXR-1921-2T2 / EXR-1719-2T2	€ 10.649
EXR-1921-3T3 / EXR-1719-3T3	€ 15.499
EXR-1921-4T4 / EXR-1719-4T4	€ 20.099
EXR-1921-1T1T1 / EXR-1719-1T1T1	€ 8.199
EXR-1921-2T2T2 / EXR-1719-2T2T2	€ 15.299
EXR-1921-3T3T3 / EXR-1719-3T3T3	€ 22.449
EXR-1921-4T4T4 / EXR-1719-4T4T4	€ 29.549
Floor Protectors	€ 25
EXR Struts	€ 149
EXR Cable Organizer	€ 1.329


SXR Audio Stand Frames	
<i>Black / Silver</i>	
1921-1V	€ 3.999
1921-2V	€ 7.149
1921-3V	€ 10.349
1921-4V	€ 13.499
1921-5V	€ 16.699
1719-1V	€ 3.899
1719-2V	€ 7.099
1719-3V	€ 10.299
1719-4V	€ 13.499
1719-5V	€ 16.699
Solid Brace Insert	€ 2.749
Cable Organizer	€ 1.249
Floor Protectors	€ 25
Extra Struts each	€ 149

SXRC Audio Stand Frame	
<i>Black / Silver</i>	
1521-2-1V	€ 5.299
1523-2-1V	€ 5.549
1525-2-1V	€ 5.899
1921-2-1V	€ 5.549
1923-2-1V	€ 5.699
1925-2-1V	€ 5.849
1927-2-1V	€ 6.149
1931-2-1V	€ 6.999
2121-1V	€ 5.699
2123-2-1V	€ 5.799
2125-2-1V	€ 5.999
2127-2-1V	€ 6.299
2131-2-1V	€ 6.999
2123-1V	€ 5.699
2325-2-1V	€ 6.149
2327-2-1V	€ 6.399

VXR Audio Stand Frames	
<i>Black / Silver</i>	
1921-1V	€ 10.399
1921-2V	€ 19.999
1921-2V 12"	€ 22.499
1921-3V	€ 29.799
1921-4V	€ 39.499
1921-5V	€ 49.199
Cntr Panel 1V	€ 7.449
Cntr Panel 2V	€ 16.149
Cntr Panel 2V 12"	€ 17.599
Cntr Panel 3V	€ 24.899
Cntr Panel 4V	€ 33.599
Cntr Panel 5V	€ 42.299
Solid Brace Insert	€ 4.199
Cable Organizer	€ 789
Floor Protectors	€ 25

Cross Section View: HRS E1X Isolation Base

E1X




**Pictured: Broadband Isolation Footer (SF)
 Depending on the component and the environment, all HRS Isolation Bases have the ability to be adjusted at any time for broadband isolation (SF), extended low frequency (LF), or bidirectional noise reduction (G7).
 Please contact HRS to learn about the various footer options that will optimize performance of your system.



Cross Section View: HRS R3X Isolation Base

R3X




**Pictured: Broadband Isolation Footer Format
Depending on the component and the environment, all HRS Isolation Bases have the ability to be adjusted at any time for broadband isolation, narrowband isolation, constrained layer damping or grounded design. Please contact HRS to learn about the various footer format options that will provide maximum performance to your system.



Cross Section View: HRS S3 Isolation Base

S3




**Pictured: Broadband Isolation Footer Format

Depending on the component and the environment, all HRS Isolation Bases have the ability to be adjusted at any time for broadband isolation, narrowband isolation, constrained layer damping or grounded design. Please contact HRS to learn about the various footer format options that will provide maximum performance to your system.



Cross Section View: HRS M3X2 Isolation Base

M3X2



**Pictured: Broadband Isolation Footer Format
Depending on the component and the environment, all HRS Isolation Bases have the ability to be adjusted at any time for broadband isolation, narrowband isolation, constrained layer damping or grounded design. Please contact HRS to learn about the various footer format options that will provide maximum performance to your system.

