



TRANSPARENT

PRICE LIST

2026

Reference Sounds



*Just wanted to let you know how amazing my system sounds with PLUS cables carrying the signal. I've had far more expensive systems with commensurately more costly cables. The amazing thing is that the PLUS cables are blowing my mind!*

*They have taken my system to an exalted level, far exceeding my expectations. Bass is tactile and physical, midrange clear and gloriously palpable. The highs are free of grain or that spray usually heard with lesser cables. Low level detail just oozes out naturally while dynamics swing from energized subtlety to wildly explosive.*

*Simply put...they are killing it in my system! Transparent PLUS absolutely sounds truer and closer to the sound of real music.*

*David B.*

# TRANSPARENT SYSTEM EXPLORER

---



## THE TRANSPARENT COLLECTION

Building a home audio system from the ground up or making a system more musically satisfying by upgrading some components should be fun and rewarding, but it's complicated. There is no single component that makes up a great home audio system. It's really all about how everything works together to create the listening experience. Making everything work together is challenging because mistakes can be costly and can result in less than satisfactory overall system performance.

Because cables, power cords, and power conditioning are largely hidden, they are the least understood and most underestimated components in a system. Cables, power cords, and power conditioning, however, occupy every part of every system, and as a whole have as much or more to do with the overall

musical character of a system than any single core component. The benefits of upgrading core components like amplifiers and speakers also can't be fully realized unless the cables connecting them are up to the task of working optimally with them. To build a great system regardless of budget considerations or aspirations, requires putting together a system plan that includes the right performance level of cables, power cords, and power conditioning.

This Transparent System Explorer can help you get started on your journey, and Transparent and our Dealers can provide even more guidance to help you avoid costly wrong turns. Transparent and Transparent Dealers have decades of experience building systems, and we share a passion to help customers put together better systems and get more musical enjoyment as their systems grow and evolve.

## BETTER, NOT JUST DIFFERENT

Transparent applied the techniques and design insights gained during the development of our ultimate design, MAGNUM OPUS, to our entire collection of products. Starting with basic interconnects and speaker cables, each Transparent product has inherited its share of MAGNUM OPUS DNA. Because of our decades of research and development, Transparent is able to provide predictable and measured levels of musicality at each performance level.

Transparent is different from the rest. We don't just offer better materials and a different type of sound and call it a performance upgrade. Progressing from one Transparent performance level to the next provides a more musically involving listening experience, not just different sound.

# TRANSPARENT SYSTEM EXPLORER


---

## START WITH THE FOUNDATION

Explore the entire suite of Transparent products that will help the components in your system play in perfect harmony. Start to improve your system by upgrading it with an appropriate musicality level of Transparent Audio Cables throughout because audio cables establish the fundamental musicality of an audio system. Then take an even bigger step forward in solidifying the performance of your system by adding level-associated source cables such as phono and digital cables. Finally adding Transparent Power Cords and Power Conditioners will give your system all the clean, quiet, and unfettered power your components crave.

## STEP-BY-STEP WITH UPGRADES


Don't worry. With Transparent it's easy and rewarding to improve your system over time. Your journey toward "you are there" listening experiences is safe, sure, and affordable with Transparent. The Transparent upgrade program protects your original investments by providing generous trade-in values toward the purchase of cables and power conditioning at the next level of musicality or higher.



# LEVELS OF MUSICALITY SYSTEM BUILDER

## DEFINE, IDENTIFY, AND PROGRESS

The Transparent System Builder helps you identify your music and film system goals. With our Levels Of Musicality color coded chart you can explore what family of Transparent linking solutions will help you achieve your goals. Build the foundation of your system with an appropriate musicality level of analog audio cables throughout and then complete the system with the appropriate level of Transparent digital cables, power conditioners, power cords, and universal system companions.





ENTHUSIAST COLLECTION



# TRANSPARENT HARDWIRED AUDIO CABLES

MORE SATISFYING LISTENING HOUR AFTER HOUR WITH BASIC MUSIC AND FILM SYSTEMS



Hardwired Speaker Cable

In today's fast-moving, high-tech world, you need connections that deliver performance and reliability, not just convenience. Transparent Hardwired provides high-quality audio and video connections designed to link your media with your home entertainment system. Hardwired Audio Cables are the ideal links to ensure a rich, front-and-center musical experience in your own home.

**LEVEL-MATCHED SYSTEM COMPANIONS:** High Performance Inwall Speaker Cables, Hardwired HDMI, Hardwired Ethernet, Hardwired Three Conductor Power Cord, Hardwired Two Conductor Power Cord, Hardwired TOSLink, PowerBank 2, PowerBank 6

## HARDWIRED RCA INTERCONNECT

HWRCA18	79
HWRCA3	89
HWRCA6	119
HWRCA10	149
HWRCA20	199
HWRCA30	269

## HARDWIRED BALANCED INTERCONNECT

HWBL18	119
HWBL3	129
HWBL6	169
HWBL10	199
HWBL20	289
HWBL30	389

## HARDWIRED SPEAKER CABLE\*

HWSC8	169
HWSC10	199
HWSC12	219
HWSC15	259
HWSC20	319
HWSC25	389

\*Banana termination only



Hardwired RCA Interconnect



Hardwired Balanced Interconnect

# TRANSPARENT HARDWIRED DIGITAL CABLES AND POWER CORDS

MORE SATISFYING LISTENING HOUR AFTER HOUR WITH BASIC MUSIC AND FILM SYSTEMS



Hardwired HDMI



Hardwired Ethernet



Hardwired TOSLink



Hardwired 2 Prong Power Cord



Hardwired 3 Prong Power Cord

## HARDWIRED HDMI

HWHDMI18	89
HWHDMI3	99
HWHDMI6	119
HWHDMI10	189
HWHDMI15	279

## HARDWIRED TOSLINK

HWTOS18	49
HWTOS3	59
HWTOS6	69
HWTOS10	79
HWTOS20	109
HWTOS30	129
HWTOS40	149
HWTOS50	169
HWTOS60	199

## HARDWIRED ETHERNET

HWETHER18	49
HWETHER3	59
HWETHER6	69
HWETHER10	79
HWETHER20	99
HWETHER30	129
HWETHER40	149
HWETHER50	169
HWETHER60	199

## HARDWIRED 2 CONDUCTOR POWER CORD U.S. ONLY

## HARDWIRED 3 CONDUCTOR POWER CORD U.S. ONLY

Hardwired Digital Cables are the ideal links for your digital media collection. Hardwired Power Cords are the optimal connection to deliver safe, stable current to your audio components.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Hardwired RCA Interconnect, Hardwired Balanced Interconnect, Hardwired Speaker Cable, High Performance Inwall Speaker Cables, PowerBank 2, PowerBank 6

# TRANSPARENT LINK AND WAVE AUDIO CABLES

CLEANER, CLEARER, MORE DYNAMIC SOUND WITH UPGRADED BASIC MUSIC AND FILM SYSTEMS



## LINK RCA INTERCONNECT

TL0.5	129
TL1	129
TL1.5	159
TL2	179
TL10	229
TL15	319
TL20	399
TL25	489
TL +5 FT	+80

## WAVE SPEAKER CABLE

TW8	319
TW10	359
TW12	399
TW15	459
TW20	549
TW25	649
TW +5 FT	+90

## LINK PHONO INTERCONNECT\*

TLPH1	159
TLPH1.5	179
TLPH2	209
TLPH10	259

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard.

Standard termination for Wave Speaker Cable is spade lugs (S>S). Standard bananas (B>S or B>B) are optional. BFA Connectors are available. Use Transparent Basic Biwire Adapters for biwire speakers rather than the gold plated biwire plates that come with many speakers for superior low end control and high frequency accuracy.

Link and Wave pair well with good integrated components. Superior construction, large copper conductors, and noise reduction networks help basic components deliver more bass with greater control and reveal more musical details and spatial information than a system can deliver with typical audio cables. Link and Wave are upgradeable to PLUS Audio Cables and above.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Basic Biwire Adapters, High Performance Inwall Speaker Cables, High Performance Brick Networks, Performance or High Performance Digital Cables; Hardwired HDMI and Ethernet Cables; Hardwired Digital Optical, Hardwired 2- or 3- Prong Power Cords, Performance Power Cords, PowerBank 2, PowerBank 6



Hardwired HDMI



PowerBank 6



Performance 75-Ohm Digital Link



Performance Power Cord

# TRANSPARENT MUSICLINK AND MUSICWAVE AUDIO CABLES

CLEAN, CLEAR, AND DYNAMIC OVER A WIDER FREQUENCY RANGE WITH BETTER MUSIC AND FILM SYSTEMS



MusicLink and MusicWave Audio Cables are upgradeable to PLUS Audio Cables and above. MusicLink and MusicWave Cables pair well with good to better integrated components. MusicLink and MusicWave Cables are heftier with more refined network technology than Transparent's basic Link and Wave Cables. They deliver more bass with greater control and possess superior imaging.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Basic or High Performance Biwire Adapters, High Performance Inwall Speaker Cables, High Performance Brick Networks; Performance, High Performance, Power Cords; Performance or High Performance Digital Cables; Transparent HDMI, USB, or Ethernet Cables; Hardwired Optical Digital, PowerBank 2, PowerBank 6

## MUSICLINK RCA INTERCONNECT

ML0.5	259
ML1	259
ML1.5	319
ML2	389
ML10	519
ML15	719
ML20	809
ML25	1.109
ML +5FT	+200

## BALANCED MUSICLINK

BML1	519
BML1.5	589
BML2	669
BML10	819
BML15	1.049
BML20	1.279
BML25	1.519
BML +5 FT	+230

## MUSICLINK PHONO INTERCONNECT\*

MLPH1	259
MLPH1.5	319
MLPH2	389
MLPH10	519

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard.

## MUSICWAVE SPEAKER CABLE

MW8	639
MW10	729
MW12	819
MW15	959
MW20	1.179
MW25	1.399
MW +5 FT	+230

## MUSICWAVE BIWIRE SC

MWBW8	839
MWBW10	919
MWBW12	1.019
MWBW15	1.149
MWBW20	1.379
MWBW25	1.599
MWBW +5 FT	+220

\*Standard MusicWave Speaker Cable termination is spade lugs (S>S). Standard bananas (B>S or B>B) are optional.



MusicWave Biwire Speaker Cable




Transparent Ethernet



MusicLink Phono Interconnect

# TRANSPARENT PLUS AUDIO CABLES

MORE DYNAMICS, FOUNDATION, AND SPACE WITH UPGRADED BETTER MUSIC AND FILM SYSTEMS



PLUS Audio Cables are upgradeable to SUPER Audio Cables and above. PLUS Cables pair well with better integrated components or good separates and better speakers, delivering more bass with greater control and superior imaging. PLUS Cables feature larger signal conductors, better connectors, and more refined network technology than MusicLink and MusicWave.

**LEVEL-MATCHED SYSTEM COMPANIONS:** High Performance Biwire Adapters, High Performance or Premium Inwall Speaker Cables, High Performance or Premium Brick Networks; High Performance or Premium Digital Cables; Performance, High Performance or Premium Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerBank 4, PowerWave, PowerWave X

## PLUS RCA INTERCONNECT

PSE0.5	549
PSE1	549
PSE1.5	629
PSE2	719
PSE10	879
PSE15	1.159
PSE20	1.429
PSE25	1.709
PSE +5 FT	+280

## PLUS BALANCED INTERCONNECT

PBL1	1.089
PBL1.5	1.199
PBL2	1.319
PBL10	1.549
PBL15	1.899
PBL20	2.249
PBL25	2.599
PBL +5 FT	+350

## PLUS PHONO INTERCONNECT\*

PPH1	549
PPH1.5	629
PPH2	719
PPH10	879
PPHDIN	389

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard.

## PLUS SPEAKER CABLE

PSC8	1.279
PSC10	1.429
PSC12	1.569
PSC15	1.779
PSC20	2.129
PSC25	2.479
PSC +5 FT	350
S>LB*	99
LB>LB*	179

## PLUS BIWIRE SPEAKER CABLE

PSCBW8	1.499
PSCBW10	1.649
PSCBW12	1.789
PSCBW15	1.999
PSCBW20	2.349
PSCBW25	2.699
PSCBW +5 FT	+350
S>BWL*	+179
LB>BWL*	+259

\*Standard PLUS Speaker Cable termination is spade lugs (S>S). Standard bananas (B>S or B>B) are optional.



PLUS Biwire Speaker Cable



PLUS Phono

# TRANSPARENT SUPER AUDIO CABLES

MORE REFINED AND POWERFUL DYNAMICS, FOUNDATION, AND SPACE WITH PREMIUM MUSIC AND FILM SYSTEMS



SUPER Audio Cables are upgradeable to ULTRA Audio Cables and above. SUPER Cables pair well with better separates and speakers, delivering more bass with greater control and superior imaging. SUPER Cables feature larger signal conductors, better connectors, and more refined network technology than PLUS Audio Cables.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Premium Biwire Adapters, High Performance or Premium Inwall Speaker Cables, High Performance or Premium Brick Networks, Premium Digital Cables, Premium Power Cords; Transparent HDMI, USB, or Ethernet cables; PowerBank 2, PowerBank 6, PowerWave, PowerWave X

SUPER RCA INTERCONNECT	
SSE1	1.089
SSE1.5	1.209
SSE2	1.319
SSE10	1.549
SSE15	1.899
SSE20	2.239
SSE25	2.589
SSE +5 FT	+350

SUPER BALANCED INTERCONNECT	
SBL1	1.919
SBL1.5	2.079
SBL2	2.229
SBL10	2.539
SBL15	3.029
SBL20	3.509
SBL25	3.999
SBL +5 FT	+480

SUPER PHONO INTERCONNECT*	
SPH1	1.089
SPH1.5	1.209
SPH2	1.319
SPH10	1.549
SPHDIN	+389

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. If 90-degree termination is desired please specify orientation.

SUPER SPEAKER CABLE	
SSC8	2.559
SSC10	2.849
SSC12	3.129
SSC15	3.549
SSC20	4.249
SSC25	4.959
SSC +5 FT	+700
S>LB*	+99
LB>LB*	+179

SUPER BIWIRE SPEAKER CABLE	
SSCBW8	2.879
SSCBW10	3.169
SSCBW12	3.449
SSCBW15	3.869
SSCBW20	4.579
SSCBW25	5.279
SSCBW + 5 FT	+700
S>BWL*	+179
LB>BWL*	+259

\*Standard SUPER Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at an additional charge.



SUPER Biwire Speaker Cable



SUPER Phono Interconnect

# TRANSPARENT ULTRA AUDIO CABLES

FULLER TONALITY, LIMITLESS DYNAMICS, AND 3-DIMENSIONAL SPACE WITH UPGRADED PREMIUM MUSIC AND FILM SYSTEMS



Bring within reach the performance of REFERENCE Series Cable at a fraction of the cost with Transparent ULTRA Speaker Cables and Interconnects. ULTRA Audio Cables are upgradeable to REFERENCE Audio Cables and above. ULTRA cables feature highly-refined network technology endo

## ULTRA RCA INTERCONNECT

USE1	2.179
USE1.5	2.299
USE2	2.439
USE10	2.689
USE15	3.119
USE20	3.529
USE25	3.989
USE +5 FT	+420

## ULTRA BALANCED INTERCONNECT

UBL1	3.699
UBL1.5	3.899
UBL2	4.079
UBL10	4.449
UBL15	5.029
UBL20	5.609
UBL25	6.189
UBL +5 FT	+580

## ULTRA PHONO INTERCONNECT\*

UPH1	2.179
UPH1.5	2.309
UPH2	2.439
UPH10	2.689
UPHDIN	+389

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. If 90-degree termination is desired please specify orientation.

## ULTRA SPEAKER CABLE

USC8	4.949
USC10	5.289
USC12	5.649
USC15	6.159
USC20	6.999
USC25	7.899
USC +5 FT	+870
S>LB*	+99
LB>LB*	+179

## ULTRA BIWIRE SPEAKER CABLE

USCBW8	5.249
USCBW10	5.599
USCBW12	5.949
USCBW15	6.469
USCBW20	7.329
USCBW25	8.199
USCBW +5 FT	+870
S>BWL*	+179
LB>BWL*	+259

\*Standard ULTRA Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at an additional charge.



ULTRA Biwire Speaker Cable



ULTRA Phono with DIN Termination

# TRANSPARENT ULTRA HEADPHONE CABLE

FULLER TONALITY, LIMITLESS DYNAMICS, AND 3-DIMENSIONAL SPACE WITH UPGRADED PREMIUM MUSIC AND FILM SYSTEMS



ULTRA Headphone Cable (pictured with extra leads)



Single-Ended Headphone Cables use a 1/4" TRS connector on the source end



Balanced Headphone Cables use a 4-Pin XLR connector on the source end and are able to be used in both balanced and single-ended applications.

## ULTRA HP (STANDARD 4-PIN XLR)

UHP6	2.229
UHP10	2.229
UHP20	2.719
UHP+5	+249
UHB+	+500

## EXTRA LEADS

UHLA	449
UHLB	999

## ADAPTERS

HA3P	129
3-PIN XLR	
HAD3P	169
DUAL 3-PIN XLR	
HA63	169
6.3MM TRS	
HAD63	169
DUAL 6.3MM TRS	
HAD35	169
DUAL 3.5MM TRS	
HAD25	169
DUAL 2.5MM TRS	

\* Consult your Transparent Dealer to determine which termination option is right for the make and model of your headphones and determine whether Type A or Type B is needed.

Like all Transparent Audio Cables, the new ULTRA Headphone Cable has a network to reduce noise, control the effects of resonance on a music signal, and optimize audio performance for the specific length of cable. The networks on ULTRA Headphone Cables are the result of hours of testing and listening and are exclusively developed for headphone signal characteristics.

Transparent designed the headphone cable as dual-isolated channels that have been optimized for electrical and mechanical performance to reduce noise. The cable design is highly flexible with a soft, quiet, comfortable, tightly woven fabric sleeve.

The ULTRA Headphone Cable joins to the headphone leads with a 2-piece coupler. Each headphone cable set comes with 1 detachable headphone lead with the connector option of choice. Additional leads with a variety of connector options are readily available through Transparent dealers; thereby making it unnecessary to buy different cables for different headphones. All single, dual, and balanced headphone amplifier terminations are also available, and changeable amplifier ends are a custom option to accommodate a collection of multiple amplifiers.

**LEVEL-MATCHED SYSTEM COMPANIONS:** SUPER, ULTRA, or REFERENCE Audio Cables, Premium Biwire Adapters, High Performance or Premium Inwall Speaker Cables, Premium Brick Networks, Premium Digital Cables, Premium Power Cords; Transparent HDMI, USB, or Ethernet cables; PowerBank 2, PowerWave, PowerWave X

# TRANSPARENT CUSTOM AND DIY SPEAKER CABLES

A FULL RANGE OF CL-APPROVED INWALL SPEAKER CABLES FOR ALL TYPES OF AUDIO AND FILM SYSTEMS




High Performance  
14-2 Inwall




High Performance  
12-2 Inwall



High Performance  
10-2 Inwall



High Performance  
14-4 Inwall



Premium Inwall



High Performance Brick

Here's your chance to elevate your installations above the rest. High Performance Inwall offers much more performance than typical inwall cable. Choose from 14, 12, or 10-AWG, 2-conductor cable or 14 or 12-AWG, 4-conductor cable, all with CL2 ratings. Each conductor consists of many strands of tightly wound OFHC copper for maximum signal transfer and current carrying capacity.

Add High Performance Brick Networks for true high end performance at an affordable price. HP Bricks are designed to work with all lengths of speaker cable.

The Brick Premium is a perfect upgrade for HP 10-2 Inwall Speaker Cable for premium and upgraded premium audio and film systems. The Brick Premium is factory calibrated specifically to the length of cable installed.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Hardwired, Link/Wave, MusicLink/ MusicWave, PLUS, SUPER, or ULTRA Audio Cables; Basic, High Performance, or Premium Biwire Adapters; Performance, High Performance, or Premium Digital Cables; Performance, High Performance; or Premium Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerBank 6, PowerWave, PowerWave X

## HIGH PERFORMANCE 14-2 INWALL

*Diameter: 7.4mm, 14AWG*

HP142 2,50/FT

## HIGH PERFORMANCE 14-4 INWALL

*Diameter: 8.3mm, 14AWG*

HP144 3,50/FT

## HIGH PERFORMANCE 12-2 INWALL

*Diameter: 8.3mm, 12AWG*

HP122 4,75/FT

## HIGH PERFORMANCE 10-2 INWALL

*Diameter: 10.7mm, 10AWG*

HP102 10.00/FT

## HIGH PERFORMANCE 14-2 BRICK

*Diameter: 7.4mm, 14AWG*

TB142 249

## HIGH PERFORMANCE 12-2 BRICK

*Diameter: 8.3mm, 12AWG*

TB122 389

## HIGH PERFORMANCE 12-2 BRICK BIWIRE

*Diameter: 8.3mm, 12AWG*

TB122BW 499

## HIGH PERFORMANCE 10-2 BRICK

*Diameter: 10.7, 10AWG*

TB102 499

## HIGH PERFORMANCE 10-2 BRICK BIWIRE

*Diameter: 10.7mm, 10AWG*

TB102BW 599

## THE WALL PREMIUM

*Diameter: 14.4mm, 10AWG*

TWPR 27/FT


## THE BRICK PREMIUM

TBPR 2.699

## THE BRICK PREMIUM BIWIRE

TBPRBW 3.079

# TRANSPARENT DIGITAL AUDIO LINKS




PERFORMANCE DIGITAL FOR BETTER SYSTEMS

PERFORMANCE OR HIGH PERFORMANCE DIGITAL FOR BETTER UPGRADED SYSTEMS

HIGH PERFORMANCE OR PREMIUM DIGITAL FOR PREMIUM SYSTEMS

PREMIUM 75-OHM OR AES DIGITAL FOR PREMIUM UPGRADED SYSTEMS



Performance, High Performance and Premium 75-Ohm Digital Link

Transparent Digital Links deliver substantial performance. A precision extruded foam dielectric insulates heavy, polished, solid core OFHC center conductors. High coverage OFHC braided shields separated by a Mylar coated foil shield keep noise out. Coaxial RCAs that make 360-degree contact with the inner shield maintain the impedance of the cable at the termination point, thereby reducing jitter. Scientific grade BNCs are optional terminations.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Link/Wave, MusicLink/MusicWave, or PLUS, SUPER, or ULTRA Audio Cables; Basic, High Performance, or Premium Biwire Adapters; High Performance or Premium Inwall Speaker Cables; High Performance or Premium Brick Networks; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerBank 4, PowerWave, PowerWave X

PERFORMANCE 75-OHM DIGITAL	
P75DL0.5	129
P75DL1	129
P75DL1.5	159
P75DL2	179
P75DL10	229
P75DL15	299
P75DL20	359
P75DL +5	+70

HIGH PERFORMANCE 75-OHM DIGITAL	
HPDL0.5	499
HPDL1	499
HPDL1.5	569
HPDL2	639
HPDL10	769
HPDL15	959
HPDL20	1.159
HPDL +5	+190

PREMIUM 75-OHM DIGITAL	
PRDL0.5	1.099
PRDL1	1.099
PRDL1.5	1.199
PRDL2	1.349
PRDL10	1.599
PRDL15	1.949
PRDL20	2.349
PRDL +5	+400

## PREMIUM AES/EBU 110-OHM DIGITAL

PRAES0.5	1.149
PRAES1	1.149
PRAES1.5	1.319
PRAES2	1.479
PRAES10	1.819
PRAES15	2.319
PRAES20	2.829
PRAES +5	+500

P75DL and HPDL standard with RCA. PRDL standard with BNC including RCA adapters



Premium AES/EBU 110-Ohm Digital Link



BNC Termination

# TRANSPARENT DIGITAL MEDIA LINKS

DIGITAL MEDIA CABLES FOR ALL TYPES OF MUSIC AND FILM SYSTEMS



Transparent Digital HDMI

## TRANSPARENT HDMI

TRHDMI0.5	399	TRHDMI10	699
TRHDMI1	399	TRHDMI15	939
TRHDMI1.5	479		
TRHDMI2	549		

Transparent HDMI Video Cable gives your system a cleaner, brighter picture with more vibrant, lifelike colors and rich, dynamic sound from your music and movies. The true high-speed design of Transparent HDMI Cable is capable of 18GB per second signal transfer and 4K resolution. TRHDMI is compatible with all current HDMI formats and is future-ready. With its heavier gauge conductors, superior shielding, and sturdy shielded connectors, TRHDMI provides improved audio performance, picture clarity, color density, and dynamic range compared to standard HDMI cables.



Transparent Digital USB

## TRANSPARENT USB

TRUSB0.5	579	TRUSB10	1.049
TRUSB1	579	TRUSB15	1.299
TRUSB1.5	699	TRUSB20	1.559
TRUSB2	799		

Transparent USB Cables accurately transfer the full richness and dynamic range of the music stored on your computer or media server. Advanced shielding provides superior protection from external noise interference and internal noise interference from computer power supplies. Custom, gold-plated USB connectors and precision termination techniques insure accurate digital audio signal transfer. Large gauge solid core conductors have greater surface area than typical USB cables further aiding digital signal transfer even over longer lengths.



Transparent Ethernet

## TRANSPARENT ETHERNET


TREETHER0.5	579	TREETHER15	899
TREETHER1	579	TREETHER20	1.049
TREETHER1.5	629	TREETHER30	1.299
TREETHER2	669	TREETHER40	1.599
TREETHER10	749	TREETHER50	1.899

The advanced construction of Transparent Ethernet maintains signal integrity and bandwidth and keeps noise levels low to accurately transfer the full richness and dynamic range of network-based music. Sturdy, gold-plated Ethernet connectors maintain a tight and reliable connection and precision termination techniques ensure accurate digital signal transfer.

**COMPANION PRODUCTS FOR HDMI, USB AND ETHERNET:** All Levels of Transparent Audio System Cables, Inwall Speaker Cables, Brick Networks, Digital Cables, Power Cords, and Power Conditioners

# TRANSPARENT POWER CORD


POWER CORD FOR UPGRADED BASIC  
AND BETTER SYSTEMS



PERFORMANCE  
POWER CORD

PPC1	169
PPC2	199
PPC3	239


POWER CORD FOR UPGRADED BETTER  
AND PREMIUM SYSTEMS



HIGH PERFORMANCE  
POWER CORD

HPPC0.5	339
HPPC1	339
HPPC2	439
HPPC+1	+100

POWER CORD FOR PREMIUM AND  
UPGRADED PREMIUM SYSTEMS



PREMIUM  
POWER CORD

PRPC2	799
PRPC+1	130

CUSTOM  
TERMINATIONS

POW90	30
LPIEC	159



POW90

LPIEC

Replace your undersized, noisy stock power cords with hefty, noise reducing Transparent power cords to achieve more dynamic freedom, tonal richness and low level information than you thought possible in your system. All Transparent Power Cords are high current designs, custom stranded from OFHC copper. Every Transparent Power Cord qualifies for The Transparent Upgrade Program: buy power cords now that match your budget and move up to higher performing cords at any time in the future while protecting your investment. Custom lengths, 20-amp IEC and AC plugs, 90-degree plugs, and other voltage/plug combinations are available.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Link/Wave, MusicLink/MusicWave, PLUS, SUPER, or ULTRA Audio System Cables; Basic, High Performance, or Premium Biwire Adapters; High Performance or Premium Inwall Speaker Cables; High Performance or Premium Brick Networks; Performance, High Performance, or Premium Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerBank 6, PowerWave, PowerWave X

# PREMIUM POWER CONDITIONERS

POWER CONDITIONERS WITH SURGE PROTECTION FOR PREMIUM AND UPGRADED PREMIUM MUSIC AND FILM SYSTEMS



PowerWave

**POWERWAVE** includes 2m PPC  
17"W x 3,5"H x 8"D (43,18cm W x 8,89cm H x 20,32cm D)  
16,0 lbs (7,26 kg)

**PW 2.649**

The new PowerWave, with its alluring all-aluminum sculptured form, minimizes magnetic fields for improved dynamic power capability. A generous measure of Generation 5 Powersolator Technology frees the new PowerWave to deliver more realizable power more efficiently and quietly. Suspended within a substantial mass of non-conductive polymer resin, the PowerWave's improved filter circuits are free from resonant interference.

US models have 8 high current outlets separated into 4 isolation banks that remove line noise and modulation distortion. The EU version has 6 high current outlets separated into 3 isolation banks. Each Isolation Bank offers identical performance and can be used with any type of audio or video component including high current amplifiers; however, you can increase the performance of the PW by using each Isolation Bank for a single component or using 2 similarly purposed components in each bank.

**LEVEL-MATCHED SYSTEM COMPANIONS:** PLUS, SUPER, or ULTRA Audio Cables; Basic, High Performance, or Premium Biwire Adapters; High Performance or Premium Inwall Speaker Cables; High Performance or Premium Brick Networks; High Performance, or Premium Digital Cables; Performance, High Performance, or Premium Power Cords; Transparent HDMI, USB, or Ethernet Cables



PowerWave X

**POWERWAVE X** includes 2m PPC  
17,25"W x 13,5"H x 5,25"D  
(43,815 cm W x 34,29 cm H x 13,335 cm D)

**PWX 5.159**

PowerWave X is 3 rack-mount spaces high, has 10 outlets with 2 outlets unswitched for components that need to be left on; and AC, coax, and network surge protection. PWX will have superior noise filtering, outlet isolation, and power factor control when compared with PowerWave. Like PowerWave, PowerWave X is constructed of heavy interlocking extruded aluminum panels. Although far more costly than steel to manufacture, extruded aluminum is a far superior chassis material because it is less resonant mechanically, and it allows freer expansion of electromagnetic fields. Electromagnetic field restriction tends to also restrict dynamic capability of the power signal.




CONNOISSEUR COLLECTION

MAGNUM OPUS | OPUS | XL | REFERENCE

# TRANSPARENT REFERENCE AUDIO CABLES

APPROACHING THE PINNACLE OF MUSICALITY WITH CONNOISSEUR MUSIC SYSTEMS



With Generation 6 Technology, Transparent REFERENCE Audio Cables redefine their position by taking a major step toward OPUS performance. By design, REFERENCE Audio Cables are more intimately connected to your system because they are calibrated to match your components. The “Hi Z” version works best with components that have high output impedances. The “Lo Z” version works best with components that have low output impedances. As with all Transparent Audio Cables, REFERENCE Audio Cables are upgradeable.

**LEVEL-MATCHED SYSTEM COMPANIONS:** Premium or REFERENCE/XL Bivire Adapters, REFERENCE Inwall Speaker Cable, REFERENCE Bricks, REFERENCE Power Cords, REFERENCE Digital Cables; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerWave X, REFERENCE or XL PowerIsolators

REFERENCE RCA INTERCONNECT	
RSE1	4.199
RSE1.5	4.389
RSE2	4.579
RSE10	4.949
RSE15	5.499
RSE20	6.049
RSE25	6.599
RSE +5 FT	+550

REFERENCE SPEAKER CABLE	
RSC8	10.499
RSC10	10.879
RSC12	11.249
RSC15	11.799
RSC20	12.729
RSC25	13.649
RSC +5 FT	930

REFERENCE BALANCED INTERCONNECT	
RBL1	7.419
RBL1.5	7.659
RBL2	7.899
RBL10	8.399
RBL15	9.149
RBL20	9.899
RBL25	10.599
RBL +5 FT	+750

REFERENCE BIWIRE SPEAKER CABLE	
RSCBW8	12.199
RSCBW10	12.499
RSCBW12	12.849
RSCBW15	13.399
RSCBW20	14.329
RSCBW25	15.259
RSCBW +5 FT	+920

REFERENCE PHONO INTERCONNECT*	
RPH1	4.199
RPH1.5	4.389
RPH2	4.579
RPH10	4.949
RPHDIN	749

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. If 90-degree termination is desired please specify orientation.

\*Standard REFERENCE Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at no additional charge.



REFERENCE RCA Interconnect



REFERENCE 75-Ohm Digital Link



REFERENCE Phono with DIN Termination

# TRANSPARENT XL AUDIO CABLES

CLOSER TO THE PINNACLE OF MUSICALITY WITH CONNOISSEUR MUSIC SYSTEMS



The choice is now clear where to go after REFERENCE Audio Cables if OPUS is beyond reach. XL Audio Cables are calibrated to your specific components. Generation 6 Technology freed Transparent to take a totally fresh approach to designing a product that approaches OPUS at a much more affordable price. XL owners receive the owner receives complimentary recalibration when system components change. XL is upgradeable to OPUS or MAGNUM OPUS.

**LEVEL-MATCHED SYSTEM COMPANIONS:** REFERENCE/XL Biwire ADAPTERS, REFERENCE Inwall Speaker Cable, XL Brick Networks, XL Digital Cables, XL or OPUS Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, REFERENCE, XL, or OPUS PowerIsolators

## XL RCA INTERCONNECT

XLSE1	7.999
XLSE1.5	8.399
XLSE2	8.829
XLSE10	9.649
XLSE15	10.899
XLSE20	12.099
XLSE25	13.349
XLSE + 5 FT	+1.200

## XL BALANCED INTERCONNECT

XLBL1	14.149
XLBL1.5	14.599
XLBL2	14.999
XLBL10	15.999
XLBL15	17.499
XLBL20	18.849
XLBL25	20.249
XLBL + 5FT	+1.400

## XL PHONO INTERCONNECT\*

XLPH1	7.999
XLPH1.5	8.449
XLPH2	8.849
XLPH10	9.649
XLPHDIN	+1.059
XLPHDIFBAL	+1.529

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. If 90-degree termination is desired please specify orientation. Balanced terminations available upon request.


## XL SPEAKER CABLE

XLSC8	22.349
XLSC10	22.999
XLSC12	23.799
XLSC15	24.849
XLSC20	26.599
XLSC25	28.399
XLSC + 5 FT	+1.800

## XL BIWIRE SPEAKER CABLE

XLSCBW8	23.899
XLSCBW10	24.599
XLSCBW12	25.299
XLSCBW15	26.399
XLSCBW20	28.129
XLSCBW25	29.899
BW +5 FT	+1.750


\*Standard XL Speaker Cable termination is spade lugs (S>S). Locking bananas (S>LB or LB>LB) are available at no extra charge.



XL Speaker Cable with Spade Termination



XL Phono with RCA termination



XL Balanced Interconnect

# TRANSPARENT OPUS AUDIO CABLES

CLOSEST TO THE PINNACLE OF MUSICALITY WITH UPGRADED CONNOISSEUR MUSIC SYSTEMS



What we thought was the best, just got much better after more than 20 years since its introduction. New network technology, more tightly controlled cable construction, precise torque tuning of the network enclosure assembly, and superior internal damping, and a more stable platform base take OPUS to another level of "you are there" musical engagement. Every detail about OPUS is customized to your system from the way the cable hooks up and fits in your system to very precise network calibration to the characteristics of your components. With a registered warranty, recalibration when necessary is complimentary. OPUS is upgradeable to MAGNUM OPUS.

**LEVEL-MATCHED SYSTEM COMPANIONS:** OPUS Biwire ADAPTERS, REFERENCE Inwall Speaker Cable, XL Brick Networks, XL Digital Cables, XL or OPUS Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, XL or OPUS PowerIsolators

## OPUS RCA INTERCONNECT

OSE1	17.649
OSE1.5	18.499
OSE2	19.399
OSE10	21.199
OSE15	23.699
OSE20	26.249
OSE25	28.749
OSE +5 FT	+2.500

## OPUS BALANCED INTERCONNECT

OBL1	29.629
OBL1.5	30.579
OBL2	31.499
OBL10	33.399
OBL15	36.599
OBL20	39.699
OBL25	42.899
OBL +5 FT	+3.200

## OPUS SPEAKER CABLE\*

OSC8	54.249
OSC10	55.999
OSC12	57.749
OSC15	60.399
OSC20	64.799
OSC25	69.199

\*Standard OPUS Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at no additional charge.

## OPUS PHONO INTERCONNECT\*

OPH1	17.649
OPH1.5	18.539
OPH2	19.419
OPH10	21.199
OPHDIN	+1.389
OPHDIFBAL	+3.789

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced terminations available upon request.



OPUS RCA Interconnect



Detail of OBL Network Module and OSC Spade Terminations

# TRANSPARENT MAGNUM OPUS AUDIO CABLES

ACHIEVING THE PINNACLE OF MUSICALITY WITH UPGRADED CONNOISSEUR MUSIC SYSTEMS



The result of more than 6 years of research and development, MAGNUM OPUS Speaker Cables and Interconnects represent a new pinnacle of performance on every level for Transparent because of Generation 6 Network Technology and a stable new constrained-layer damped platform base. With specifications that require measurements that are at the edge of what technicians can control in production and production time that is comparable to the manufacturing of exotic high-end audio amplifiers or speakers, MAGNUM OPUS is costly to build and rare. With a registered warranty, recalibration when necessary is complimentary.

**LEVEL-MATCHED SYSTEM COMPANIONS:** MAGNUM OPUS Biwire ADAPTERS, REFERENCE Inwall Speaker Cable, XL Brick Networks, XL Digital Cables, XL or OPUS Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, XL or Opus PowerIsolators

## MAGNUM OPUS RCA INTERCONNECT

MOSE1	27.749
MOSE1.5	28.749
MOSE2	29.749
MOSE10	31.749
MOSE15	34.949
MOSE20	38.099
MOSE25	41.249
MOSE +5 FT	+3.150

## MAGNUM OPUS BALANCED INTERCONNECT

MOBL1	46.649
MOBL1.5	47.899
MOBL2	49.199
MOBL10	51.699
MOBL15	55.729
MOBL20	59.799
MOBL25	63.799
MOBL +5 FT	+4.000

## MAGNUM OPUS SPEAKER CABLE\*


MOSC8	90.799
MOSC10	94.299
MOSC12	97.899
MOSC15	103.199
MOSC20	111.999

\*Standard MAGNUM OPUS Speaker Cable termination is spade lugs (S>S). Locking banana plugs (LB) are available at no extra charge.

## MAGNUM OPUS PHONO INTERCONNECT\*

MOPH1	27.749
MOPH1.5	28.749
MOPH2	29.749
MOPH10	31.799
MOPHDIN	+1.389
MOPHDIFBAL	+3.789

\*RCA>RCA termination is standard. Separate ground wire with mini spade termination is standard. Specify tone arm and flexible lead length required. Balanced terminations available upon request.



MAGNUM OPUS RCA Interconnect



Detail of carbon fiber housing of MAGNUM OPUS coupler

# TRANSPARENT CONNOISSEUR COLLECTION INWALL SPEAKER CABLES

INWALL SPEAKER CABLES AND BRICK NETWORKS FOR ALL TYPES OF CONNOISSEUR AND UPGRADED CONNOISSEUR MUSIC SYSTEMS



The Wall REFERENCE



The Brick REFERENCE



The Brick XL

The Wall REFERENCE is an inwall version of Transparent REFERENCE Speaker Cable. The best inwall speaker cable on earth, its complex construction consists of no fewer than 18 different manufacturing operations with the best materials available. Quiet, dynamic, and musically balanced, it is capable of delivering all of the music. Designed for ultimate music and home entertainment systems that demand hidden installations, The Wall REFERENCE comes close to its true potential with The Brick REFERENCE and achieves the pinnacle of performance with The Brick XL.

Designed to be used only with The Wall REFERENCE Speaker Cable, The Brick REFERENCE and The Brick XL networks are highly customized to the customer's system layout, system components, and the specific length of cable used for each channel of the installation. There is a 2-week lead time to manufacture these custom products.

**LEVEL-MATCHED SYSTEM COMPANIONS:** REFERENCE, XL, OPUS, or MAGNUM OPUS Audio Cables; REFERENCE or XL Digital Cables; REFERENCE, XL, or OPUS Power Cords; Transparent HDMI, USB, or Ethernet Cables; PowerBank 2, PowerWave X; REFERENCE, XL, or OPUS Powersolator

THE WALL REFERENCE	TWR	64/FT
THE BRICK REFERENCE	TBR	6.499
THE BRICK REFERENCE BIWIRE	TBRBW	8.099
THE BRICK XL	TBXL	14.829
THE BRICK XL BIWIRE	TBXLBW	16.359

# TRANSPARENT CONNOISSEUR COLLECTION DIGITAL AUDIO LINKS

75-OHM AND 110-OHM AES/EBU DIGITAL CABLES FOR ALL TYPES OF CONNOISSEUR AND UPGRADED CONNOISSEUR MUSIC SYSTEMS



Transparent's REFERENCE Digital Cables have set the standard for ultimate digital signal transmission, but Transparent has a strong commitment to continue to push the parameters of the current state of the art. Transparent REFERENCE and XL Digital Links benefit from a complete redesign that incorporates these latest technical advances. Transparent Advanced Expanded Foam Technology enables a digital cable's insulation to be foamed and extruded to a more precise thickness and uniform density than was ever possible in the past. This superior control of the dielectric maintains characteristic impedance, reduces signal loss, and lowers noise.

**LEVEL-MATCHED SYSTEM COMPANIONS:** REFERENCE, XL, OPUS, or MAGNUM OPUS Audio Cables; REFERENCE Inwall Speaker Cable, REFERENCE or XL Brick Networks; Transparent HDMI, USB, or Ethernet Cables; REFERENCE, XL, or OPUS Power Cords; PowerBank 2, PowerWave X; REFERENCE, XL, or OPUS PowerIsolator

REFERENCE 75-OHM DIGITAL		XL 75-OHM DIGITAL		REFERENCE AES/EBU 110-OHM DIGITAL	
RDL0.5	2.779	XLDL0.5	4.649	RAES0.5	2.689
RDL1	2.779	XLDL1	4.649	RAES1	2.689
RDL1.5	3.099	XLDL1.5	5.129	RAES1.5	3.069
RDL2	3.429	XLDL2	5.619	RAES2	3.459
RDL10	4.069	XLDL10	6.589	RAES10	4.219
RDL15	4.999	XLDL15	8.149	RAES15	5.369
RDL20	5.959	XLDL20	9.689	RAES20	6.519
RDL +5	+950	XLDL +5	+1.550	RAES +5	+1.150

## XL AES/EBU 110-OHM DIGITAL

XLAES0.5	4.939
XLAES1	4.939
XLAES1.5	5.629
XLAES2	6.319
XLAES10	7.699
XLAES15	9.789
XLAES20	11.899
XLAES +5	+2.100



REFERENCE 75-Ohm  
Digital Link



XL 75-Ohm  
Digital Link



REFERENCE AES/EBU  
110-Ohm Digital Link



XL AES/EBU  
110-Ohm Digital Link

# TRANSPARENT ULTIMATE POWER CORDS

POWER CORDS THAT APPROACH THE PINNACLE OF MUSICALITY WITH CONNOISSEUR MUSIC SYSTEMS



XL Power Cord and REFERENCE Power Cord



Connector Detail



Euro Plug Option

REFERENCE POWER CORD		XL POWER CORD	
RPC2	1.639	XLPC2	2.999
RPC+1	+180	XLPC+1	+400

REFERENCE and XL Power Cords are the next generation of REFERENCE Series Power cabling products. Inspired by the technical developments that produced OPUS Power Cord, these cables feature new, tighter construction technology that preserves the intended electrical properties of the cable design.

Improved network module technology takes into account the length of the cable and innate electrical properties to reduce noise levels to an extent previously unattainable. Network module housings are custom molded Carbon Fiber Reinforced Polymer (CFRP) and deliver a generous measure of the solidity and resonance minimizing effects of OPUS-level carbon fiber at a fraction of the cost and weight.

New termination technology ensures solid, heavy OFHC copper conductors deliver better power delivery without restriction or instability, freeing your components to bring you a more realistic music experience through fuller, deeper tonal balance with more extension at either end of the music spectrum.

\*\*\*All Transparent Power Cords (with the exception of Hardwired and PPC) are available in versions for USA, UK, EU, and custom power applications.

**LEVEL-MATCHED SYSTEM COMPANIONS:** REFERENCE or XL Audio Cables, REFERENCE Inwall Speaker Cables, REFERENCE or XL Brick Networks, REFERENCE and XL Digital Cables; Transparent HDMI, USB, or Ethernet Cables; OPUS Power Cords, PowerBank 2, PowerWave X; REFERENCE, XL, or OPUS PowerIsolators

# TRANSPARENT TRANSCENDENT POWER CORDS

POWER CORDS THAT ACHIEVE THE PINNACLE OF MUSICALITY WITH UPGRADED CONNOISSEUR MUSIC SYSTEMS



*OPUS Power Cord and OPUS Power Cord Source*



*Plug & Connector Detail*

OPUS POWER CORD		OPUS POWER CORD SOURCE	
OPC2	7.549	OPCS2	7.299
OPC+1	+1.060	OPCS+1	+990

OPUS Power Cord and its lighter, more flexible OPUS Power Cord Source (for less power-hungry components) unlock your system's power delivery to achieve a new level of breakthrough realism.

Carefully proportioned, quiet, and electrically neutral fillers fully occupy every interstice in the extremely tight, precision wound OFHC conductors. Uniform pressure-extruded insulation covers each conductor bundle to hold all elements of the cable packages firmly in place to preserve the intended electrical properties of the cable designs.

OPUS Power Cords feature module and connector/plug housings crafted from vibration-damped, stiff, ultra-light carbon fiber. Cutting-edge termination techniques permit drastically improved geometry and conductor integrity at terminal points.

The filter network built into each cord is finely calibrated to ensure each power product achieves ideal electrical characteristics for superior sound quality and power transfer regardless of length.

\*\*\*All Transparent Power Cords (excepting hardwired and PPC) are available in versions for USA, UK, EU, and custom power applications.

**LEVEL-MATCHED SYSTEM COMPANIONS:** XL, OPUS, or MAGNUM OPUS Audio Cables, REFERENCE Inwall Speaker Cable, XL Brick Networks, REFERENCE and XL Digital Cables, Transparent HDMI, USB, or Ethernet Cables; REFERENCE or XL Power Cords, PowerBank 2, PowerWave X, REFERENCE, XL, or OPUS PowerIsolators

# TRANSPARENT ULTIMATE POWERISOLATORS

APPROACHING THE PINNACLE OF MUSICALITY WITH CONNOISSEUR MUSIC SYSTEMS



REFERENCE PowerIsolator



XL PowerIsolator

Surge protection and noise filtration should enhance musical and video purity while not altering the personality and dynamic power of music and soundtracks. Most power conditioners add noise and alter the phase of the power signal. Consequently they significantly impede your ability to hear your system at its best. PowerIsolator Technology conditions and provides surge protection while maintaining the phase of the power, thereby providing you with all the musical and film realism your system can deliver. PowerIsolators also have ethernet and coaxial surge protection.

REFERENCE PowerIsolator is a versatile and relentless ally in the fight against line noise and grunge in your system. Particularly suited for your source components, RPI approaches the performance of XL PowerIsolator, while offering the versatility of eight 15-amp high-current outlets.

XL PowerIsolator has four 15-amp high-current outlets. You can condition power and protect four components from surges with one XLPI unit. To achieve the ultimate that PowerIsolator Technology can provide, use only two outlets, one from each bank.

XL PowerIsolator uses an enhanced level of vibration control technology to keep damaging resonances from affecting line voltage purity.

\*\*\*All Transparent PowerIsolators are available in versions for USA, UK, EU, and custom power applications.

**LEVEL-MATCHED SYSTEM COMPANIONS:** REFERENCE, XL, or OPUS Audio Cables; REFERENCE Inwall Speaker Cables, REFERENCE or XL Brick Networks, REFERENCE or XL Digital Cables; Transparent HDMI, USB, or Ethernet Cables; REFERENCE, XL, or OPUS Power Cords; PowerBank 2, PowerWave X, OPUS PowerIsolator

REFERENCE POWERISOLATOR includes 2m RPC **RPI 9.999**

XL POWERISOLATOR includes 2m XLPC **XLPI 10.299**  
 9.25"W x 4.25"H x 11.75"D (23.495cm W x 10.795cm H x 29.845cm D)  
 28.0 lbs (12.701 kg)

# TRANSPARENT TRANSCENDENT POWERISOLATORS

ACHIEVING THE PINNACLE OF MUSICALITY WITH UPGRADED CONNOISSEUR MUSIC SYSTEMS



OPUS Powersolator

Transparent Audio's ultimate statement in audio perfection, the OPUS series, expands to incorporate a new standard in power conditioning and line filtration— meet the Transparent OPUS Powersolator. The groundbreaking Transparent Generation 5 Power Conditioning Filter Technology introduced in the new OPUS Powersolator snuffs out broadband AC power line noise without restricting current or introducing phase shift. Designed to work in perfect harmony with its included 20-amp IEC OPUS Power Cord, OPI is ready to deliver limitless current and noise-free, in-phase power.

Most other power conditioning solutions reduce some AC noise, but they also restrict instantaneous current flow and alter the phase of the power signal — a condition that introduces noise and shifts the tonal balance performance of the system. OPI in combination with OPUS Power Cords ensures that your system is free to reveal all the dynamic complexity and energy and the pure and natural instrumental tonality encoded in your favorite music sources.

**OPUS POWERISOLATOR** includes 2m OPC  
 0.25"W x 4.75"H x 13"D (26.035cm W x 12.065cm H x 33.02cm D)  
 26.0 lbs (11.793 kg)

**OPI 20.799**



OPUS Powersolator (Rear Panel)

With OPI's curvaceous carbon fiber form, there can be no mistaking its OPUS lineage. Like OPUS Speaker Cable, OPI's epoxy-loaded, fully damped carbon-fiber carapace blocks vibrations and allows electromagnetic fields to fully expand. The OPI center of gravity is also low and wide which further ensures that any excess energy broadly dissipates away from the filter circuitry. Adjustable for hard or carpeted surfaces, precision machined isolation feet keep OPI stable and decoupled from floor vibrations.

Painstakingly constructed with multi-step measurements and circuit adjustments, the OPI filter circuit is also calibrated to the filter characteristics of the included OPUS Power Cord and to the end user's AC voltage and frequency. OPUS Power Cord conductors serve to link the OPI filter circuit from input to output, and the filter characteristics of the OPI conductors are also an important part of the measurement process and filter circuit calibration. OPI's parallel noise filtering circuit results in full, free, instantaneous current flow, thereby allowing your system to deliver untethered musical dynamics. Likewise, the parallel hydraulic magnetic circuit breaker provides failsafe circuit protection without limiting current.

**LEVEL-MATCHED SYSTEM COMPANIONS:** XL, OPUS, or MAGNUM OPUS Audio Cables; REFERENCE Inwall Speaker Cable, XL Brick Networks, REFERENCE or XL DIGITAL CABLES; Transparent HDMI, USB, or Ethernet Cables



ADAPTERS & TERMINATIONS



# AUDIO ADAPTERS AND SPECIAL TERMINATIONS



BASIC BIWIRE ADAPTER



HIGH PERF BIWIRE ADAPTER



PREMIUM BIWIRE ADAPTER



REF OR XL BIWIRE ADAPTER



OPUS BIWIRE ADAPTER



MAGNUM OPUS BIWIRE ADAPTER



SPADE > BANANA ADAPTER



SPADE > BFA ADAPTER




BANANA > SPADE ADAPTER

## SPEAKER CABLE ADAPTERS

SBAB	BASIC BIWIRE ADAPTER, SET	99
SBAHP	HIGH PERF BIWIRE ADAPTER, SET	259
SBAP	PREMIUM BIWIRE ADAPTER, SET	389
SBARXL	REF / XL BIWIRE ADAPTER, SET	1.219
SBAO	OPUS BIWIRE ADAPTER, SET	3.269
SBAMO	MAGNUM OPUS BIWIRE ADAPTER, SET	4.579
BFA4	SPADE > BFA ADAPTER, 4	79
SA4	BANANA>SPADE ADAPTER, 4	79
BA4	SPADE>BANANA ADAPTER, 4	49
S>BFA	SPADE >BFA ADAPTER, 4	49

# ALL AVAILABLE TERMINATIONS



Price list 2026 - All prices are suggested retail prices each including VAT  
Prices, product offering and specifications can change without further notice



**REFERENCE**  
**SOUNDS**

Reference Sounds